

Printing date 18.02.2021 Revision: 18.02.2021

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

· Trade name: DELTA-50-PLUS

· Article number: 505PLUS

· UFI: FCD1-G07A-W00G-FRH2

· 1.2 Relevant identified uses of the substance or mixture and uses advised against

· Sector of Use

SU3 Industrial uses: Uses of substances as such or in preparations at industrial sites

· Application of the substance / the mixture Exterior vehicle cleaner

· 1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

Concept Chemicals & Coatings Ltd. Felt Court, Windmill Lane Ind.Estate Denton, Manchester M34 3RB England Tel 00 44 (0)161 335 0213 Fax 00 44 (0)161 335 0214

· Further information obtainable from:

Concept Chemicals & Coatings Ltd. Felt Court, Windmill Lane Ind.Estate Denton, Manchester M34 3RB England Tel 00 44 (0)161 335 0213 Fax 00 44 (0)161 335 0214 cheryl@conceptchemicals.com

1.4 Emergency telephone number:

During working hours GMT 09.00 - 17.00

Tel: 0044 (0)161 335 0213 Fax: 0044 (0)161 335 0214

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



Skin Corr. 1A H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

- · Hazard pictograms GHS05
- · Signal word Danger
- · Hazard-determining components of labelling:

Sodium Hydroxide
Alcohols C9-11, ethoxylated
N.N-Dimethyldeclamine N-Oxide

· Hazard statements

H314 Causes severe skin burns and eye damage.

(Contd. on page 2)



Printing date 18.02.2021 Revision: 18.02.2021

Trade name: DELTA-50-PLUS

(Contd. of page 1)

· Precautionary statements

P260 Do not breathe mist/vapours/spray.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin

with water [or shower].

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P321 Specific treatment (see on this label).

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/

international regulations.

· 2.3 Other hazards

· Results of PBT and vPvB assessment

· **PBT:** Not applicable. · **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Chemical characterisation: Mixtures

· Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:		
CAS: 1310-73-2 EINECS: 215-185-5 Reg.nr.: 01-2119457892-27- 0158	Sodium Hydroxide Acute Tox. 3, H311 Skin Corr. 1A, H314 Acute Tox. 4, H302	5-10%
CAS: 5064-31-3 EINECS: 225-768-6 Reg.nr.: 01-2119519239-36- 0000	trisodium nitrilotriacetate Carc. 2, H351 Met. Corr.1, H290 Acute Tox. 4, H302; Eye Irrit. 2, H319	2.5-5%
CAS: 68439-45-2 EC number: 614-481-5	Alcohols C9-11, ethoxylated Eye Dam. 1, H318 Acute Tox. 4, H302	2.5-5%
CAS: 2605-79-0 EINECS: 220-020-5 Reg.nr.: 01-2119959297-22- 0000	N,N-Dimethyldeclamine N-Oxide	0-2.5%

Ingredients according to detergents

Matton 646/2004/20	
non-ionic surfactants	≥5 - <15%
NTA (nitrilotriacetic acid) and salts thereof, amphoteric surfactants	<5%

Additional information For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · After inhalation In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact

If skin irritation continues, consult a doctor.

Immediately wash with water and soap and rinse thoroughly.

(Contd. on page 3)





Printing date 18.02.2021 Revision: 18.02.2021

Trade name: DELTA-50-PLUS

(Contd. of page 2)

· After eye contact

Rinse opened eye for several minutes under running water. Then consult a doctor.

- · After swallowing Rinse out mouth and then drink plenty of water.
- 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

• 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

5.2 Special hazards arising from the substance or mixture

No further relevant information available.

- · 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

6.2 Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers /surface or ground water drains.

· 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders).

Use neutralising agent.

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Risk of serious damage to eyes.

No special precautions are necessary if used correctly.

- Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed.
- · 7.3 Specific end use(s) No further relevant information available.

GB





Printing date 18.02.2021 Revision: 18.02.2021

Trade name: DELTA-50-PLUS

(Contd. of page 3)

SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- · Additional information about design of technical facilities: No further data; see item 7.
- Ingredients with limit values that require monitoring at the workplace:

1310-73-2 Sodium Hydroxide

WEL Short-term value: 2 mg/m3

· DNELs

1310-73-2 Sodium Hydroxide

Oral LD50 500 mg/kg (rab) 2,000 mg/kg (rat)

Dermal LD50 500 mg/kg (Rab)

Additional information: The lists valid during the making were used as basis.

- · 8.2 Exposure controls
- Personal protective equipment
- · General protective and hygienic measures

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Do not inhale gases / fumes / aerosols.

Avoid contact with the eyes and skin.

Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

- · Protection of hands: Rubber gloves
- · Material of gloves Nitrile rubber, NBR
- Penetration time of glove material

The determined penetration times according to EN 16523-1:2015 are not performed under practical conditions. Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is recommended.

· Eye protection:

Safety glasses

Goggles recommended during refilling.

SECTION 9: Physical and chemical properties

- · 9.1 Information on basic physical and chemical properties
- · General Information
- · Appearance:

Form: Liquid
Colour: transparent
Odour: Characteristic
Odour threshold: Not determined.

• **pH-value at 20 °C:** 13.75

· Change in condition

Melting point/freezing point: undetermined

(Contd. on page 5)



Printing date 18.02.2021 Revision: 18.02.2021

Trade name: DELTA-50-PLUS

	(Contd. of page
Initial boiling point and boiling range	: 100 °C
Flash point:	Not applicable
Flammability (solid, gaseous)	Product is not flammable.
Decomposition temperature:	Not determined.
Auto-ignition temperature:	Product is not selfigniting.
Explosive properties:	Product does not present an explosion hazard.
Vapour pressure at 20 °C:	23 hPa
Density at 20 °C: Relative density Vapour density Evaporation rate	1.101 g/cm³ Not determined. Not applicable. Not determined.
Solubility in / Miscibility with Water:	Fully miscible
Partition coefficient: n-octanol/water:	Not determined.
· Viscosity: dynamic: kinematic:	Not applicable. Not applicable.
9.2 Other information	No further relevant information available.

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known
- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.
- Primary irritant effect:
- Skin corrosion/irritation

Causes severe skin burns and eye damage.

- · Serious eye damage/irritation
- Causes serious eye damage.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- Additional toxicological information:
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.

(Contd. on page 6)





Revision: 18.02.2021 Printing date 18.02.2021

Trade name: DELTA-50-PLUS

(Contd. of page 5)

- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water.

Do not allow product to reach ground water or water course.

Must not reach sewage water or drainage ditch undiluted or unneutralised.

Danger to drinking water if even small quantities leak into the ground.

Rinse off of bigger amounts into drains or the aquatic environment may lead to increased pHvalues. A high pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably reduced, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

- · 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation Do not allow product to reach ground water or water course.
- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.
- Recommended cleansing agents: Water, if necessary together with cleansing agents.

SECTION 14: Transport information		
· 14.1 UN-Number · ADR, IMDG, IATA	UN1719	
· 14.2 UN proper shipping name		
·ADR	1719 CAUSTIC ALKALI LIQUID, N.O.S. (SODIUN HYDROXIDE)	
· IMDG, IATA	CAUSTIC ÁLKALI LIQUID, N.O.S. (SODIUM HYDROXIDE)	
	(Contd. on page	



Printing date 18.02.2021 Revision: 18.02.2021

Trade name: DELTA-50-PLUS

(Contd. of page 6)

· 14.3 Transport hazard class(es)

· ADR, IMDG, IATA



· Class 8 Corrosive substances.

· Label 8

· 14.4 Packing group

· ADR, IMDG, IATA ||||

14.5 Environmental hazards:

· Marine pollutant: No

• 14.6 Special precautions for user Warning: Corrosive substances.

Hazard identification number (Kemler code): 80
 EMS Number: F-A,S-B
 Segregation groups Alkalis

Stowage Category
A
Segregation Code
SG22 Stow "away from" ammonium salts

SG35 Stow "separated from" SGG1-acids

14.7 Transport in bulk according to Annex II

of Marpol and the IBC Code Not applicable.

· Transport/Additional information:

· ADR

· Limited quantities (LQ) 5L

· Excepted quantities (EQ) Code: E1

Maximum net quantity per inner packaging: 30 ml

Maximum net quantity per outer packaging: 1000

Transport category 3
• Tunnel restriction code E

· IMDG

· Limited quantities (LQ) 5L · Excepted quantities (EQ) Code: E1

> Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000

ml

· UN "Model Regulation": UN 1719 CAUSTIC ALKALI LIQUID, N.O.S.

(SODIUM HYDROXIDE), 8, III

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

(Contd. on page 8)





Printing date 18.02.2021 Revision: 18.02.2021

Trade name: DELTA-50-PLUS

(Contd. of page 7)

· Hazard pictograms GHS05

· Signal word Danger

· Hazard-determining components of labelling:

Sodium Hvdroxide

Alcohols C9-11, ethoxylated N,N-Dimethyldeclamine N-Oxide

· Hazard statements

H314 Causes severe skin burns and eye damage.

· Precautionary statements

P260 Do not breathe mist/vapours/spray.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin

with water [or shower].

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P321 Specific treatment (see on this label).

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/

international regulations.

· National regulations

- Waterhazard class: Water hazard class 2 (Self-assessment): hazardous for water.
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H290 May be corrosive to metals.

H302 Harmful if swallowed.

H311 Toxic in contact with skin.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H351 Suspected of causing cancer.

H400 Very toxic to aquatic life.

· Department issuing SDS: Technical Department.

Contact: Mr N Wardlaw

· Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Met. Corr.1: Corrosive to metals – Category 1 Acute Tox. 4: Acute toxicity – Category 4

(Contd. on page 9)





Printing date 18.02.2021 Revision: 18.02.2021

Trade name: DELTA-50-PLUS

(Contd. of page 8)

Acute Tox. 3: Acute toxicity – Category 3

Skin Corr. 1A: Skin corrosion/irritation – Category 1A
Skin Irrit. 2: Skin corrosion/irritation – Category 2
Eye Dam. 1: Serious eye damage/eye irritation – Category 1
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2
Carc. 2: Carcinogenicity – Category 2
Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1