

Printing date 04.02.2021 Revision: 04.02.2021

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

· Trade name: DELTA SAN

· Article number: 129

· UFI: 12C0-50Q2-R00E-RDDT

· 1.2 Relevant identified uses of the substance or mixture and uses advised against

· Sector of Use

SU3 Industrial uses: Uses of substances as such or in preparations at industrial sites

· Application of the substance / the mixture

Surface cleanser
Surface disinfectant

· 1.3 Details of the supplier of the safety data sheet

· Manufacturer/Supplier:

Concept Chemicals & Coatings Ltd. Felt Court, Windmill Lane Ind.Estate Denton, Manchester M34 3RB England Tel 00 44 (0)161 335 0213 Fax 00 44 (0)161 335 0214

· Further information obtainable from:

Concept Chemicals & Coatings Ltd. Felt Court, Windmill Lane Ind.Estate Denton, Manchester M34 3RB England Tel 00 44 (0)161 335 0213 Fax 00 44 (0)161 335 0214 cheryl@conceptchemicals.com

1.4 Emergency telephone number:
During working hours GMT 09.00 - 17.00

Tel: 0044 (0)161 335 0213 Fax: 0044 (0)161 335 0214

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- Classification according to Regulation (EC) No 1272/2008



Skin Corr. 1A H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

- · Hazard pictograms GHS05
- Signal word Danger
- · Hazard-determining components of labelling:

Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides Sodium Hydroxide

· Hazard statements

H314 Causes severe skin burns and eye damage.

(Contd. on page 2)



Printing date 04.02.2021 Revision: 04.02.2021

Trade name: DELTA SAN

(Contd. of page 1)

Precautionary statements

P260 Do not breathe dusts or mists.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin

with water [or shower].

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P321 Specific treatment (see on this label).

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/

international regulations.

· 2.3 Other hazards

· Results of PBT and vPvB assessment

· **PBT:** Not applicable. · **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Chemical characterisation: Mixtures

· Description: Mixture of substances listed below with nonhazardous additions.

| · Dangerous components: | | |
|--|---|--------|
| CAS: 68424-85-1 EINECS: 270-325-2 Reg.nr.: 01-2119965180-41- XXXX | Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides Skin Corr. 1B, H314 Acute Tox. 4, H302 | 2.5-5% |
| CAS: 5064-31-3 EINECS: 225-768-6 Reg.nr.: 01-2119519239-36- 0000 | trisodium nitrilotriacetate Carc. 2, H351 Met. Corr.1, H290 Acute Tox. 4, H302; Eye Irrit. 2, H319 | 2.5-5% |
| CAS: 1310-73-2 EINECS: 215-185-5 Reg.nr.: 01-2119457892-27- 0158 | Sodium Hydroxide Acute Tox. 3, H311 Skin Corr. 1A, H314 Acute Tox. 4, H302 | 0-2.5% |

Ingredients according to detergents regulation 648/2004/EC

NTA (nitrilotriacetic acid) and salts thereof, non-ionic surfactants, amphoteric surfactants, <5% colouring agent

preservation agents (Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides)

· Additional information For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- After inhalation In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact Immediately wash with water and soap and rinse thoroughly.
- · After eye contact

Rinse opened eye for several minutes under running water. Then consult a doctor.

· After swallowing Rinse out mouth and then drink plenty of water.

(Contd. on page 3)





Printing date 04.02.2021 Revision: 04.02.2021

Trade name: DELTA SAN

(Contd. of page 2)

· 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- Suitable extinguishing agents Use fire extinguishing methods suitable to surrounding conditions.
- · 5.2 Special hazards arising from the substance or mixture

No further relevant information available.

- · 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

SECTION 6: Accidental release measures

- · 6.1 Personal precautions, protective equipment and emergency procedures Not required.
- · 6.2 Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers /surface or ground water drains.

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders).

Ensure adequate ventilation.

· 6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Risk of serious damage to eyes.

Risk of serious damage to eyes.

- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage
- · Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- · Additional information about design of technical facilities: No further data; see item 7.

Ingredients with limit values that require monitoring at the workplace:

1310-73-2 Sodium Hydroxide

WEL Short-term value: 2 mg/m3

(Contd. on page 4)



Printing date 04.02.2021 Revision: 04.02.2021

Trade name: DELTA SAN

(Contd. of page 3)

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- Personal protective equipment
- General protective and hygienic measures

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Do not inhale dust / smoke / mist. Avoid contact with the eyes and skin.

Respiratory protection:

Not necessary if room is well-ventilated.

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

- Protection of hands: Rubber gloves
- · Material of gloves Natural rubber, NR
- · Eye protection: Safety glasses

| 9.1 Information on basic physical and General Information | I chemical properties |
|--|---|
| General information Appearance: | |
| Form: | Fluid |
| Colour: | Red |
| Odour: | Characteristic |
| Odour threshold: | Not determined. |
| pH-value at 20 °C: | 13.5 |
| Change in condition | |
| Melting point/freezing point: | undetermined |
| Initial boiling point and boiling rang | e: 100 °C |
| Flash point: | Not applicable |
| Flammability (solid, gaseous) | Not applicable. |
| Decomposition temperature: | Not determined. |
| Auto-ignition temperature: | Product is not selfigniting. |
| Explosive properties: | Product does not present an explosion hazard. |
| Explosion limits: | |
| Lower: | Not determined. |
| Upper: | Not determined. |
| Vapour pressure at 20 °C: | 23.0 hPa |
| Density at 20 °C: | 1.064 g/cm³ |
| Relative density | Not determined. |
| Vapour density | Not determined. |
| Evaporation rate | Not determined. |
| Solubility in / Miscibility with | |
| Water: | Fully miscible |



Printing date 04.02.2021 Revision: 04.02.2021

Trade name: DELTA SAN

(Contd. of page 4)

· Partition coefficient: n-octanol/water: Not determined.

· Viscosity:

dynamic: Not determined. kinematic: Not determined.

• 9.2 Other information No further relevant information available.

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- · 10.3 Possibility of hazardous reactions No dangerous reactions known
- 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.
- Primary irritant effect:
- · Skin corrosion/irritation

Causes severe skin burns and eye damage.

· Serious eye damage/irritation

Causes serious eye damage.

- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- Additional toxicological information:
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water.

Do not allow product to reach ground water or water course.

(Contd. on page 6)



Revision: 04.02.2021 Printing date 04.02.2021

Trade name: DELTA SAN

(Contd. of page 5)

Danger to drinking water if even small quantities leak into the ground.

Rinse off of bigger amounts into drains or the aquatic environment may lead to increased pHvalues. A high pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably reduced, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

- 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation Do not allow product to reach ground water or water course.
- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agents: Water, if necessary together with cleansing agents.

| · 14.1 UN-Number · ADR, IMDG, IATA | UN2735 |
|---|---|
| · 14.2 UN proper shipping name | |
| ADR | 2735 AMINES, LIQUID, CORROSIVE, N.O. (SODIUM HYDROXIDE, trisodium nitrilotriacetate |
| IMDG, IATA | AMINES, LIQUID, CORROSIVE, N.O.S. (SODIU HYDROXIDE, trisodium nitrilotriacetate) |
| 14.3 Transport hazard class(es) | |
| ADR, IMDG, IATA | |
| Class Label | 8 Corrosive substances. |
| 14.4 Packing group | · |
| ADR, IMDG, IATA | III |
| 14.5 Environmental hazards: | |
| Marine pollutant: | No |
| 14.6 Special precautions for user | Warning: Corrosive substances. |
| Hazard identification number (Kemler code): | |
| EMS Number: | F-A,S-B |
| | Alkalis |
| Stowage Category | A |
| · Segregation Code | SG35 Stow "separated from" SGG1-acids |



Printing date 04.02.2021 Revision: 04.02.2021

Trade name: DELTA SAN

| · 14.7 Transport in bulk according to Annex II | (Contd. of page |
|---|--|
| of Marpol and the IBC Code | Not applicable. |
| · Transport/Additional information: | |
| · ADR · Limited quantities (LQ) · Excepted quantities (EQ) | 5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 100 ml |
| · Transport category · Tunnel restriction code | 3 <i>E</i> |
| · IMDG · Limited quantities (LQ) · Excepted quantities (EQ) | 5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 100 ml |
| UN "Model Regulation": | UN 2735 AMINES, LIQUID, CORROSIVE, N.O.S (SODIUM HYDROXIDE, TRISODIU NITRILOTRIACETATE), 8, III |

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

- Hazard pictograms GHS05
- · Signal word Danger
- · Hazard-determining components of labelling:

Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides

Sodium Hydroxide

· Hazard statements

H314 Causes severe skin burns and eye damage.

· Precautionary statements

P260 Do not breathe dusts or mists.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin

with water [or shower].

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P321 Specific treatment (see on this label).

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/

international regulations.

- · Directive 2012/18/EU
- · Qualifying quantity (tonnes) for the application of lower-tier requirements 200 t

(Contd. on page 8)





Printing date 04.02.2021 Revision: 04.02.2021

Trade name: DELTA SAN

(Contd. of page 7)

- · Qualifying quantity (tonnes) for the application of upper-tier requirements 500 t
- · National regulations
- · Waterhazard class: Water hazard class 2 (Self-assessment): hazardous for water.
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H290 May be corrosive to metals.

H302 Harmful if swallowed.

H311 Toxic in contact with skin.

H314 Causes severe skin burns and eye damage.

H319 Causes serious eye irritation.

H351 Suspected of causing cancer.

- · Department issuing SDS: Technical Department.
- · Contact: Mr N Wardlaw
- · Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning

the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Met. Corr.1: Corrosive to metals - Category 1

Acute Tox. 4: Acute toxicity - Category 4

Acute Tox. 3: Acute toxicity - Category 3

Skin Corr. 1A: Skin corrosion/irritation – Category 1A Skin Corr. 1B: Skin corrosion/irritation – Category 1B

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Carc. 2: Carcinogenicity - Category 2

GB