

Page 1/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 02.03.2021

Revision: 02.03.2021

	1: Identification of the substance/mixture and of the compan g
· 1.1 Product id	dentifier
Trade name:	GLASS POLISH
• 1.2 Relevant i • Sector of Use SU3 Industria	M3-500E-2MFA identified uses of the substance or mixture and uses advised against
• <i>Manufacturer</i> Concept Chen Felt Court, Wil	nicals & Coatings Ltd. ndmill Lane Ind.Estate hester M34 3RB England 61 335 0213
Concept Chen Ltd. Felt Court Manchester M Tel 00 44 (0)1 Fax 00 44 (0)1 kenny@conce 1.4 Emergen	161 335 0214 eptchemicals.com c y telephone number: g hours GMT 09.00 - 17.00 61 335 0213
	: Hazards identification
SECTION 2	
	tion of the substance or mixture
· 2.1 Classifica	
[·] 2.1 Classifica [·] Classification	tion of the substance or mixture
[·] 2.1 Classifica [·] Classification	ition of the substance or mixture n according to Regulation (EC) No 1272/2008
• 2.1 Classifica • Classification • healt	ntion of the substance or mixture in according to Regulation (EC) No 1272/2008 th hazard H372 Causes damage to the central nervous system through prolonged o
• 2.1 Classifica • Classification • healt	ntion of the substance or mixture in according to Regulation (EC) No 1272/2008 th hazard H372 Causes damage to the central nervous system through prolonged o
2.1 Classification Classification From healt STOT RE 1	ntion of the substance or mixture in according to Regulation (EC) No 1272/2008 th hazard H372 Causes damage to the central nervous system through prolonged of repeated exposure.
2.1 Classification Classification beak STOT RE 1 STOT SE 3 Aquatic Chron 2.2 Label eler Labelling acc The product is	n according to Regulation (EC) No 1272/2008 th hazard H372 Causes damage to the central nervous system through prolonged or repeated exposure. H336 May cause drowsiness or dizziness. hic 3 H412 Harmful to aquatic life with long lasting effects.



Page 2/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 02.03.2021

Revision: 02.03.2021

Trade name: GLASS POLISH

(Contd. of page 1) · Hazard-determining components of labelling: Hydrocarbons, C9-C12, n-alkanes, isoalkanes, cyclics, aromatics (2-25%) · Hazard statements H336 May cause drowsiness or dizziness. H372 Causes damage to the central nervous system through prolonged or repeated exposure. H412 Harmful to aquatic life with long lasting effects. Precautionary statements Do not breathe dust/fume/gas/mist/vapours/spray. P260 P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor if you feel unwell. P312 P314 Get medical advice/attention if you feel unwell. P405 Store locked up. P501 Dispose of contents/container in accordance with local/regional/national/international regulations. · 2.3 Other hazards · Results of PBT and vPvB assessment · PBT: Not applicable. · vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Chemical characterisation: Mixtures

· Description: Mixture of substances listed below with nonhazardous additions.

CAS: 64742-82-1	Hydrocarbons,C9-C12,n-	10-25%
EINECS: 265-185-4	alkanes, iso alkanes, cyclics, aromatics (2-25%)	
	🚸 Flam. Liq. 2, H225	
	🚯 STOT RE 1, H372; Asp. Tox. 1, H304	
	Aquatic Chronic 2, H411	
	🍈 STOT SE 3, H336	2.5-5%
CAS: 56539-66-3	3-methoxy-3-methylbutan-1-ol	
EINECS: 260-252-4	🕂 Eye Irrit. 2, H319	
Reg.nr.: 01-2119976333-33- 0000	Flam. Liq. 4, H227; Acute Tox. 5, H303; Acute Tox. 5, H313	
EC number: 926-141-6 Reg.nr.: 01-2119456620-43-	Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics Asp. Tox. 1, H304 Flam. Liq. 4, H227	
XXXX		
CAS: 64-17-5	ethanol	
EINECS: 200-578-6	🚸 Flam. Liq. 2, H225	
Reg.nr.: 01-2119457610-43	Eye Irrit. 2, H319	
	Acute Tox. 5, H303; Acute Tox. 5, H313; Acute Tox. 5, H333	
CAS: 541-02-6	Decamethylcyclopentasiloxane	0-2.5%
EINECS: 208-764-9	Flam. Liq. 4, H227	
Reg.nr.: 01-2119511367-43-		
0000		
SVHC		
541-02-6 Decamethylcycloper	tasiloxane	

GB



Printing date 02.03.2021

Revision: 02.03.2021

Page 3/8

Trade name: GLASS POLISH

(Contd. of page 2) • Additional information For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

· 4.1 Description of first aid measures

· After inhalation Supply fresh air; consult doctor in case of complaints.

- · After skin contact If skin irritation continues, consult a doctor.
- · After eye contact Rinse opened eye for several minutes under running water.
- After swallowing Rinse out mouth and then drink plenty of water. • 4.2 Most important symptoms and effects, both acute and delayed
- Gastric or intestinal disorders. 4.3 Indication of any immediate medical attention and special treatment needed

If swallowed or in case of vomiting, danger of entering the lungs

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- *Suitable extinguishing agents* CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- 5.2 Special hazards arising from the substance or mixture
- No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures Not required.

6.2 Environmental precautions: Inform respective authorities in case of seepage into water course or sewage system. Dilute with plenty of water. Do not allow to enter sewers /surface or ground water drains.

- 6.3 Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders).
- 6.4 Reference to other sections See Section 7 for information on safe handling See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

SECTION 7: Handling and storage

• **7.1 Precautions for safe handling** No special precautions are necessary if used correctly. • **Information about fire - and explosion protection:** No special measures required.

· 7.2 Conditions for safe storage, including any incompatibilities

· Storage

- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.

(Contd. on page 4)

GB



Printing date 02.03.2021

Revision: 02.03.2021

(Contd. of page 3)

Page 4/8

Trade name: GLASS POLISH

· 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

• Additional information about design of technical facilities: No further data; see item 7.

Ingredients with limit values that require monitoring at the workplace:

64742-82-1 Hydrocarbons, C9-C12, n-alkanes, isoalkanes, cyclics, aromatics (2-25%)

- TWA Short-term value: 580 mg/m³, 100 ppm
 - Long-term value: 290 mg/m³, 50 ppm

64-17-5 ethanol

WEL Long-term value: 1920 mg/m³, 1000 ppm

541-02-6 Decamethylcyclopentasiloxane

TWA Long-term value: 10 ppm

• Additional information: The lists valid during the making were used as basis.

- [•] 8.2 Exposure controls
- · Personal protective equipment
- General protective and hygienic measures Keep away from foodstuffs, beverages and feed. Wash hands before breaks and at the end of work.
- Respiratory protection: Use suitable respiratory protective device in case of insufficient ventilation.
- · Protection of hands: Rubber gloves
- · Material of gloves Natural rubber, NR
- · Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection: Safety glasses

9.1 Information on basic physical a General Information	and chemical properties	
Appearance:		
Form:	Liquid	
Colour:	Pink	
Odour:	Characteristic	
Odour threshold:	Not determined.	
pH-value at 20 °C:	10.0	
Change in condition Melting point/freezing point: Initial boiling point and boiling ra	undetermined ange: 100 °C	
Flash point:	>65 °C	
Flammability (solid, gaseous)	Not applicable.	
Ignition temperature:	230.0 °C	



Page 5/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 02.03.2021

Revision: 02.03.2021

Trade name: GLASS POLISH

	(Contd. of page	
Decomposition temperature:	Not determined.	
Auto-ignition temperature:	Product is not selfigniting.	
Explosive properties:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	0.9 Vol %	
Upper:	8.0 Vol %	
Vapour pressure at 20 °C:	23.0 hPa	
Density at 20 °C:	0.9 g/cm³	
Relative density	Not determined.	
Vapour density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
Water:	Partly miscible	
Partition coefficient: n-octanol/water:	Not determined.	
Viscosity:		
dynamic:	Not determined.	
kinematic at 20 °C:	61 s (ISO 6 mm)	
9.2 Other information	No further relevant information available.	

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:
- No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known
- **10.4 Conditions to avoid** No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- Acute toxicity Based on available data, the classification criteria are not met.
- · Primary irritant effect:
- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- Serious eye damage/irritation Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- Additional toxicological information:
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure

May cause drowsiness or dizziness.

(Contd. on page 6)

GB



Printing date 02.03.2021

Revision: 02.03.2021

(Contd. of page 5)

Page 6/8

Trade name: GLASS POLISH

· STOT-repeated exposure

Causes damage to the central nervous system through prolonged or repeated exposure.

• Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

· 12.1 Toxicity

- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- Ecotoxical effects:
- Remark: Harmful to fish
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water. Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- Harmful to aquatic organisms
- · 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.

• 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.

· Recommended cleansing agents: Water, if necessary together with cleansing agents.

14.1 UN-Number		
ADR, ADN, IMDG, IATA	Void	
14.2 UN proper shipping name		
ADR, ADN, IMDG, IATA	Void	
14.3 Transport hazard class(es)		
ADR, ADN, IMDG, IATA		
Class	Void	
14.4 Packing group		
ADR, IMDG, IĂTA	Void	



Page 7/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 02.03.2021

Revision: 02.03.2021

(Contd. of page 6)

Trade name: GLASS POLISH

• Marine pollutant:

No

• **14.6 Special precautions for user** Not applicable.

• 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable.

• UN "Model Regulation":

Void

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- [•] Labelling according to Regulation (EC) No 1272/2008
- The product is classified and labelled according to the CLP regulation.
- Hazard pictograms GHS07, GHS08
- · Signal word Danger
- · Hazard-determining components of labelling:

Hydrocarbons, C9-C12, n-alkanes, isoalkanes, cyclics, aromatics (2-25%)

- · Hazard statements
- H336 May cause drowsiness or dizziness.

H372 Causes damage to the central nervous system through prolonged or repeated exposure.

H412 Harmful to aquatic life with long lasting effects.

· Precautionary statements

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

- P312 Call a POISON CENTER/doctor if you feel unwell.
- P314 Get medical advice/attention if you feel unwell.
- P405 Store locked up.
- *P501 Dispose of contents/container in accordance with local/regional/national/international regulations.*

[•] National regulations

· Waterhazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

[.] Relevant phrases

H225 Highly flammable liquid and vapour.

H227 Combustible liquid.

H303 May be harmful if swallowed.

- H304 May be fatal if swallowed and enters airways.
- H313 May be harmful in contact with skin.
- H319 Causes serious eye irritation.

H333 May be harmful if inhaled.

H336 May cause drowsiness or dizziness.

H372 Causes damage to organs through prolonged or repeated exposure.

(Contd. on page 8)

GB



Printing date 02.03.2021 Revision: 02.03.2021 Trade name: GLASS POLISH (Contd. of page 7) H411 Toxic to aquatic life with long lasting effects. · Department issuing SDS: Technical Department. · Contact: Mr N Wardlaw Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) PBT: Persistent, Bioaccumulative and Toxic SVHC: Substances of Very High Concern vPvB: very Persistent and very Bioaccumulative Flam. Liq. 2: Flammable liquids – Category 2 Flam. Liq. 4: Flammable liquids – Category 4 Acute Tox. 5: Acute toxicity - Category 5 Eye Irrit. 2: Serious eye damage/eye irritation - Category 2 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 STOT RE 1: Specific target organ toxicity (repeated exposure) - Category 1 Asp. Tox. 1: Aspiration hazard - Category 1 Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard - Category 2 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Category 3

Page 8/8