

Page 1/10

## Safety data sheet according to UK REACH

Printing date 08.04.2025 Revision: 08.04.2025

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

· Trade name: UV WAX

· Article number: M-80005 · UFI: 6K80-G0JC-P005-YD5N

- · 1.2 Relevant identified uses of the substance or mixture and uses advised against
- · Sector of Use

SU3 Industrial uses: Uses of substances as such or in preparations at industrial sites

- · Application of the substance / the mixture Car Polish
- · 1.3 Details of the supplier of the safety data sheet
- Manufacturer/Supplier:

Concept Chemicals & Coatings Ltd. Felt Court, Windmill Lane Ind.Estate Denton, Manchester M34 3RB England Tel 00 44 (0)161 335 0213 Fax 00 44 (0)161 335 0214

· Further information obtainable from:

Concept Chemicals & Coatings Ltd. Felt Court, Windmill Lane Ind.Estate Denton, Manchester M34 3RB England Tel 00 44 (0)161 335 0213 Fax 00 44 (0)161 335 0214 kenny@conceptchemicals.com

1.4 Emergency telephone number:

Members of the public seeking specific information on poisons should contact:

In England and Wales: NHS 111 - dial 111

In Scotland: NHS 24 - dial 111

### **SECTION 2: Hazards identification**

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



GHS02 flame

Flam. Liq. 3 H226 Flammable liquid and vapour.



STOT SE 3 H336 May cause drowsiness or dizziness.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the GB CLP regulation.

(Contd. on page 2)



Page 2/10

## Safety data sheet according to UK REACH

Printing date 08.04.2025 Revision: 08.04.2025

Trade name: UV WAX

(Contd. of page 1)

- · Hazard pictograms GHS02, GHS07
- · Signal word Warning

### · Hazard-determining components of labelling:

Hydrocarbons, C9-C11,n-alkanes,isoalkanes,cyclics,<2%aromatics.

· Hazard statements

H226 Flammable liquid and vapour.

H336 May cause drowsiness or dizziness.

Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition

sources. No smoking.

P241 Use explosion-proof [electrical/ventilating/lighting] equipment.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin

with water [or shower].

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/

international regulations.

· 2.3 Other hazards

· Results of PBT and vPvB assessment

· PBT:	
541-02-6	Decamethylcyclopentasiloxane

· vPvB:

541-02-6 Decamethylcyclopentasiloxane

## **SECTION 3: Composition/information on ingredients**

- · 3.2 Chemical characterisation: Mixtures
- · Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:		
CAS: 64742-48-9 EC number: 919-857-5 Reg.nr.: 01-2119463258-33- 0002	Hydrocarbons, C9-C11, n-alkanes,isoalkanes,cyclics,<2%aromatics.  Flam. Liq. 3, H226 Asp. Tox. 1, H304 STOT SE 3, H336	10-25%
CAS: 541-02-6 EINECS: 208-764-9 Reg.nr.: 01-2119511367-43- XXXX	Decamethylcyclopentasiloxane Non-classified vPvB substance. Non-classified PBT substance. Substance with a Community workplace exposure limit.	0-2.5%
CAS: 64771-72-8 EC number: 929-018-5 Reg.nr.: 01-2119475608-26- xxxx	Hydrocarbons, C10-C13,n-alkanes,<2% aromatics  Asp. Tox. 1, H304	0-2.5%

(Contd. on page 3)



Page 3/10

## Safety data sheet according to UK REACH

Printing date 08.04.2025 Revision: 08.04.2025

Trade name: UV WAX

(Contd. of page 2)

·SVHC

541-02-6 Decamethylcyclopentasiloxane

Additional information For the wording of the listed hazard phrases refer to section 16.

### SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · After inhalation Supply fresh air; consult doctor in case of complaints.
- · After skin contact Generally the product does not irritate the skin.
- · After eye contact Rinse opened eye for several minutes under running water.
- · After swallowing Rinse out mouth and then drink plenty of water.
- 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

• 4.3 Indication of any immediate medical attention and special treatment needed If swallowed or in case of vomiting, danger of entering the lungs

### SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents CO2, sand, extinguishing powder. Do not use water.
- · For safety reasons unsuitable extinguishing agents

Water

Water with full jet.

- 5.2 Special hazards arising from the substance or mixture
- No further relevant information available.
- · 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

### SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

- 6.2 Environmental precautions: Do not allow to enter sewers /surface or ground water drains.
- · 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders).

Ensure adequate ventilation.

Do not flush with water or aqueous cleansing agents

· 6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

GB



Page 4/10

## Safety data sheet according to UK REACH

Printing date 08.04.2025 Revision: 08.04.2025

Trade name: UV WAX

(Contd. of page 3)

### **SECTION 7: Handling and storage**

· 7.1 Precautions for safe handling

Risk of serious damage to eyes.

Prevent formation of vapours

· Information about fire - and explosion protection:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

- · 7.2 Conditions for safe storage, including any incompatibilities
- Storage
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed.
- · 7.3 Specific end use(s) No further relevant information available.

#### SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

Additional information about design of technical facilities: No further data; see section 7.

· Ingredients with limit values that require monitoring at the workpla	t require monitoring at the workplace:
--	--

### 64742-48-9 Hydrocarbons, C9-C11,n-alkanes,isoalkanes,cyclics,<2%aromatics.

OEL Short-term value: 600 mg/m³, 100 ppm Long-term value: 300 mg/m³, 50 ppm

## 541-02-6 Decamethylcyclopentasiloxane

TWA Long-term value: 10 ppm

### 64771-72-8 Hydrocarbons, C10-C13,n-alkanes,<2% aromatics

OEL | Short-term value: 600 mg/m<sup>3</sup>

- Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment
- General protective and hygienic measures

Wash hands before breaks and at the end of work.

Do not inhale dust / smoke / mist.

· Respiratory protection:

Not necessary if room is well-ventilated.

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

· Protection of hands:

Rubber gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

(Contd. on page 5)



Page 5/10

## Safety data sheet according to UK REACH

Printing date 08.04.2025 Revision: 08.04.2025

Trade name: UV WAX

(Contd. of page 4)

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

### Material of gloves

Natural rubber, NR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

### Penetration time of glove material

The determined penetration times according to EN 16523-1:2015 are not performed under practical conditions. Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is recommended.

Eye protection: Tightly sealed goggles.

### **SECTION 9: Physical and chemical properties**

• 9.1 Information on basic physical and c	hemical properties
· General Information · Appearance:	
Form:	Viscous
Colour:	Violet
· Odour:	Pleasant
· Odour threshold:	Not determined.
· pH-value at 20 °C:	9
· Change in condition Melting point/freezing point: Initial boiling point and boiling range:	undetermined 100°C
· Flash point:	40 °C
· Flammability (solid, gaseous)	Flammable.
· Auto-ignition temperature:	>230 °C
· Decomposition temperature:	Not determined.
· Ignition temperature:	Product is not selfigniting.
· Explosive properties:	Product is not explosive. However, formation of explosive air/vapour mixtures are possible.
· Explosion limits:	
Lower:	0.9 Vol %
Upper:	8 Vol %
· Vapour pressure at 20 °C:	23 hPa

(Contd. on page 6)



Page 6/10

## Safety data sheet according to UK REACH

Printing date 08.04.2025 Revision: 08.04.2025

Trade name: UV WAX

		(Contd. of page 5
Density at 20 °C:	0.98 g/cm³	
Relative density	Not determined.	
· Vapour density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
Water:	Partly miscible	
Partition coefficient: n-octanol/water:	Not determined.	
· Viscosity:		
dynamic:	Not determined.	
kinematic at 20 °C:	30 s (ISO 6 mm)	
9.2 Other information	No further relevant information available.	

## SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- · 10.3 Possibility of hazardous reactions No dangerous reactions known
- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known

### SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.
- · Primary irritant effect:
- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Additional toxicological information:
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure
- May cause drowsiness or dizziness.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.

(Contd. on page 7)



Page 7/10

## Safety data sheet according to UK REACH

Printing date 08.04.2025 Revision: 08.04.2025

Trade name: UV WAX

(Contd. of page 6)

· Aspiration hazard Based on available data, the classification criteria are not met.

### **SECTION 12: Ecological information**

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water. Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

· 12.5 Results of PBT and vPvB assessment

PR	T.

541-02-6 Decamethylcyclopentasiloxane

· vPvB:

541-02-6 Decamethylcyclopentasiloxane

12.6 Other adverse effects No further relevant information available.

### **SECTION 13: Disposal considerations**

- · 13.1 Waste treatment methods
- Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information		
· 14.1 UN-Number · ADR, IMDG, IATA	UN1993	
· 14.2 UN proper shipping name · ADR	1993 FLAMMABLE LIQUID, N.O.S (Hydrocarbons, C9-C11,n	
· IMDG, IATA	alkanes,isoalkanes,cyclics,<2%aromatics.) FLAMMABLE LIQUID, N.O.S. (Hydrocarbons, CSC11,n-alkanes,isoalkanes,cyclics,<2%aromatics.)	

(Contd. on page 8)



Page 8/10

## Safety data sheet according to UK REACH

Printing date 08.04.2025 Revision: 08.04.2025

Trade name: UV WAX

(Contd. of page 7)

· 14.3	Transport	hazard	class	(es)
--------	-----------	--------	-------	------

· ADR, IMDG, IATA



· Class 3 Flammable liquids.

· Label 3

14.4 Packing group

· ADR, IMDG, IATA |||

· 14.5 Environmental hazards:

· Marine pollutant: No

• 14.6 Special precautions for user Warning: Flammable liquids.

· Hazard identification number (Kemler code): 30 · EMS Number: F-E,S-E

Stowage Category A

14.7 Transport in bulk according to Annex II

of Marpol and the IBC Code Not applicable.

· Transport/Additional information:

· ADR

Limited quantities (LQ) 5L

Excepted quantities (EQ) Code: E1

Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000

ml

· Transport category 3 · Tunnel restriction code D/E

· IMDG

· Limited quantities (LQ) 5L

Excepted quantities (EQ) Code: E1

Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000

ml

· UN "Model Regulation": UN 1993 FLAMMABLE LIQUID, N.O.S.

(  $H\ Y\ D\ R\ O\ C\ A\ R\ B\ O\ N\ S\ , \qquad C\ 9\ -\ C\ 1\ 1\ ,\ N\ -\ ALKANES,ISOALKANES,CYCLICS,<2%AROMAT$ 

ICS.), 3, III

- GE



Page 9/10

## Safety data sheet according to UK REACH

Printing date 08.04.2025 Revision: 08.04.2025

Trade name: UV WAX

(Contd. of page 8)

### **SECTION 15: Regulatory information**

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Poisons Act

#### · Regulated explosives precursors

None of the ingredients is listed.

#### · Regulated poisons

None of the ingredients is listed.

#### · Reportable explosives precursors

None of the ingredients is listed.

#### · Reportable poisons

None of the ingredients is listed.

### · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the GB CLP regulation.

- Hazard pictograms GHS02, GHS07
- Signal word Warning

### · Hazard-determining components of labelling:

Hydrocarbons, C9-C11,n-alkanes,isoalkanes,cyclics,<2%aromatics.

#### · Hazard statements

H226 Flammable liquid and vapour.

H336 May cause drowsiness or dizziness.

#### · Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition

sources. No smoking.

P241 Use explosion-proof [electrical/ventilating/lighting] equipment.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin

with water [or shower].

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/

international regulations.

#### · Directive 2012/18/EU

- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Seveso category P5c FLAMMABLE LIQUIDS
- · Qualifying quantity (tonnes) for the application of lower-tier requirements 5,000 t
- · Qualifying quantity (tonnes) for the application of upper-tier requirements 50,000 t
- · National regulations
- · Waterhazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.

(Contd. on page 10)



Page 10/10

## Safety data sheet according to UK REACH

Printing date 08.04.2025 Revision: 08.04.2025

Trade name: UV WAX

(Contd. of page 9)

· Other regulations, limitations and prohibitive regulations

· Substances of very high concern (SVHC) according to UK REACH

541-02-6 Decamethylcyclopentasiloxane

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has been carried out.

### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### · Relevant phrases

H226 Flammable liquid and vapour.

H304 May be fatal if swallowed and enters airways.

H336 May cause drowsiness or dizziness.

· Department issuing SDS: Technical Department.

· Contact: Mr N Wardlaw

### · Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning

the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Flam. Liq. 3: Flammable liquids – Category 3

STOT SE 3: Specific target organ toxicity (single exposure) - Category 3

Asp. Tox. 1: Aspiration hazard - Category 1

GB