

Printing date 19.02.2021 Revision: 19.02.2021

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

· Trade name: MASTER CLEANER PLUS+

· Article number: 213NEW · UFI: 79K0-P0PE-G000-92C7

· 1.2 Relevant identified uses of the substance or mixture and uses advised against

· Sector of Use

SU3 Industrial uses: Uses of substances as such or in preparations at industrial sites

· Application of the substance / the mixture

Exterior vehicle cleaner Interior vehicle cleaner

· 1.3 Details of the supplier of the safety data sheet

· Manufacturer/Supplier:

Concept Chemicals & Coatings Ltd. Felt Court, Windmill Lane Ind.Estate Denton, Manchester M34 3RB England Tel 00 44 (0)161 335 0213 Fax 00 44 (0)161 335 0214

· Further information obtainable from:

Concept Chemicals & Coatings Ltd. Felt Court, Windmill Lane Ind.Estate Denton, Manchester M34 3RB England Tel 00 44 (0)161 335 0213 Fax 00 44 (0)161 335 0214 cheryl@conceptchemicals.com

· 1.4 Emergency telephone number: GIFTINFORMASJONEN Telefon 22591300

#### **SECTION 2: Hazards identification**

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



Skin Corr. 1A H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

- · Hazard pictograms GHS05
- · Signal word Danger
- · Hazard-determining components of labelling:

Sodium Hydroxide

D-Glucopyranose, oligomers, decyl octyl glycosides

Hazard statements

H314 Causes severe skin burns and eye damage.

Precautionary statements

P260 Do not breathe mist/vapours/spray.

(Contd. on page 2)



Printing date 19.02.2021 Revision: 19.02.2021

Trade name: MASTER CLEANER PLUS+

(Contd. of page 1)

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin

with water [or shower].

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P321 Specific treatment (see on this label).

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/

international regulations.

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable. · **vPvB:** Not applicable.

### **SECTION 3: Composition/information on ingredients**

- · 3.2 Chemical characterisation: Mixtures
- · Description: Mixture of substances listed below with nonhazardous additions.

| · Dangerous components:  |   |        |
|--|---|--------|
| CAS: 1310-73-2<br>EINECS: 215-185-5<br>Reg.nr.: 01-2119457892-27-<br>0158      | Sodium Hydroxide Acute Tox. 3, H311 Skin Corr. 1A, H314 Acute Tox. 4, H302  | 0-2.5% |
| CAS: 5064-31-3<br>EINECS: 225-768-6<br>Reg.nr.: 01-2119519239-36-<br>0000      | trisodium nitrilotriacetate Carc. 2, H351 Met. Corr.1, H290 Acute Tox. 4, H302; Eye Irrit. 2, H319  | 0-2.5% |
| CAS: 68515-73-1<br>Reg.nr.: 01-2119488530-36-<br>0000                          | D-Glucopyranose,oligomers,decyl octyl glycosides  ♦ Skin Corr. 1A, H314; Eye Dam. 1, H318   | 0-2.5% |
| CAS: 29329-71-3<br>Reg.nr.: 01-2119510382-52-<br>0000                          | Phosphonic acid,(1-hydroxyethylidene) bis-, sodium salt<br>Acute Tox. 4, H302; Eye Irrit. 2, H319   | 0-2.5% |
| CAS: 308062-28-4<br>EC number: 931-292-6<br>Reg.nr.: 01-2119490061-47-<br>xxxx | Amines C12-14 alkyldimethyl,N-Oxides  Eye Dam. 1, H318 Aquatic Acute 1, H400; Aquatic Chronic 2, H411 Acute Tox. 4, H302; Skin Irrit. 2, H315 | 0-2.5% |

## Ingredients according to detergents regulation 648/2004/EC

phosphates, NTA (nitrilotriacetic acid) and salts thereof, non-ionic surfactants, cationic <5% surfactants, amphoteric surfactants, colouring agent, Limonene

Additional information For the wording of the listed hazard phrases refer to section 16.

## **SECTION 4: First aid measures**

- · 4.1 Description of first aid measures
- · After inhalation In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact

If skin irritation continues, consult a doctor.

(Contd. on page 3)





Printing date 19.02.2021 Revision: 19.02.2021

Trade name: MASTER CLEANER PLUS+

(Contd. of page 2)

Immediately wash with water and soap and rinse thoroughly.

· After eve contact

Rinse opened eye for several minutes under running water. Then consult a doctor.

- · After swallowing Rinse out mouth and then drink plenty of water.
- · 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

• 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

### **SECTION 5: Firefighting measures**

- · 5.1 Extinguishing media
- · Suitable extinguishing agents

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

· 5.2 Special hazards arising from the substance or mixture

No further relevant information available.

- · 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

#### SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Not required.
- 6.2 Environmental precautions:

Inform respective authorities in case of seepage into water course or sewage system.

Dilute with plenty of water.

Do not allow to enter sewers /surface or ground water drains.

· 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders).

Ensure adequate ventilation.

6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

### SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Risk of serious damage to eyes.

Prevent formation of vapours

Risk of serious damage to eyes.

- Information about fire and explosion protection: No special measures required.
- 7.2 Conditions for safe storage, including any incompatibilities
- · Storage
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- · 7.3 Specific end use(s) No further relevant information available.

GB





Printing date 19.02.2021 Revision: 19.02.2021

Trade name: MASTER CLEANER PLUS+

(Contd. of page 3)

### SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- · Additional information about design of technical facilities: No further data; see item 7.

| · Ingredi | Ingredients with limit values that require monitoring at the workplace: |                   |  |  |  |
|-----------|---|-------------------|--|--|--|
| 1310-73   | 1310-73-2 Sodium Hydroxide  |                   |  |  |  |
| WEL S     | WEL   Short-term value: 2 mg/m³   |                   |  |  |  |
| · DNELs   | DNELs   |                   |  |  |  |
|           | 1310-73-2 Sodium Hydroxide  |                   |  |  |  |
| Oral      | LD50  | 500 mg/kg (rab)   |  |  |  |
|           |   | 2,000 mg/kg (rat) |  |  |  |
| Dermal    | LD50  | 500 mg/kg (Rab)   |  |  |  |
| 308062-   | 308062-28-4 Amines C12-14 alkyldimethyl,N-Oxides                        |                   |  |  |  |
| Oral      | LD50  | 1,064 mg/kg (rat) |  |  |  |

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- Personal protective equipment
- General protective and hygienic measures

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Do not inhale gases / fumes / aerosols.

Avoid contact with the skin.

Avoid contact with the eyes and skin.

### · Respiratory protection:

Not necessary if room is well-ventilated.

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

#### · Protection of hands:

Rubber gloves

Protective gloves.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

### · Material of gloves

Nitrile rubber, NBR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

#### Penetration time of glove material

The determined penetration times according to EN 16523-1:2015 are not performed under practical conditions. Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is recommended.

(Contd. on page 5)





Printing date 19.02.2021 Revision: 19.02.2021

Trade name: MASTER CLEANER PLUS+

· Eye protection: Tightly sealed goggles.

SECTION 9: Physical and chemical properties

(Contd. of page 4)

#### · 9.1 Information on basic physical and chemical properties · General Information · Appearance: Form: Fluid Colour: Yellow · Odour: Characteristic · Odour threshold: Not determined. 13.5 · pH-value at 20 °C: Change in condition Melting point/freezing point: undetermined Initial boiling point and boiling range: 100 °C > 65 °C · Flash point: · Flammability (solid, gaseous) Not applicable. · Decomposition temperature: Not determined. · Auto-ignition temperature: Product is not selfigniting. · Explosive properties: Product does not present an explosion hazard. · Explosion limits: Lower: Not determined. Upper: Not determined. · Vapour pressure at 20 °C: 23 hPa · Density at 20 °C: 1.078 g/cm3 · Relative density Not determined. · Vapour density Not determined. · Evaporation rate Not determined.

Fully miscible

Not determined.

Not determined.

Not determined.

No further relevant information available.

### SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability

· 9.2 Other information

· Viscosity: dynamic:

kinematic:

· Solubility in / Miscibility with

· Partition coefficient: n-octanol/water:

Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

· 10.3 Possibility of hazardous reactions No dangerous reactions known

(Contd. on page 6)





Printing date 19.02.2021 Revision: 19.02.2021

Trade name: MASTER CLEANER PLUS+

(Contd. of page 5)

- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known

## **SECTION 11: Toxicological information**

- · 11.1 Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.
- · Primary irritant effect:
- · Skin corrosion/irritation

Causes severe skin burns and eye damage.

· Serious eye damage/irritation

Causes serious eye damage.

- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Additional toxicological information:
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

## **SECTION 12: Ecological information**

- · 12.1 Toxicity
- Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability Easily biodegradable
- 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · Ecotoxical effects:
- · Remark: Harmful to fish
- · Additional ecological information:
- · General notes:

Re: Biodegradability of Surface Active Agents: All non-ionics are classified as 100% biodegradeable; cationics are greater than 90% biodegradeable and comply with EC Directive 73/404.

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water.

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Harmful to aquatic organisms

Rinse off of bigger amounts into drains or the aquatic environment may lead to increased ph-values. A high pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably reduced, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

- · 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- 12.6 Other adverse effects No further relevant information available.

ЗВ





Printing date 19.02.2021 Revision: 19.02.2021

Trade name: MASTER CLEANER PLUS+

(Contd. of page 6)

## **SECTION 13: Disposal considerations**

- · 13.1 Waste treatment methods
- · Recommendation

Small amounts may be diluted with plenty of water and washed away. Dispose of bigger amounts in accordance with Local Authority requirements.

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.
- Recommended cleansing agents: Water, if necessary together with cleansing agents.

| SECTION 14: Transport information            |  |
|--|--|
| 14.1 UN-Number                               |  |
| ADR, IMDG, IATA                              | UN1719   |
| 14.2 UN proper shipping name                 |  |
| ADR  | 1719 CAUSTIC ALKALI LIQUID, N.O.S. (SODI<br>HYDROXIDE) |
|  | CAUSTIC ALKALI LIQUID, N.O.S. (SODI                    |
|  | HYDROXIDE)   |
| 14.3 Transport hazard class(es)              |  |
| ADR, IMDG, IATA                              |  |
|  |  |
|  |  |
| Class  | 8 Corrosive substances.                                |
| Label  | 8  |
| 14.4 Packing group                           |  |
| ADR, IMDG, IATA                              | II .   |
| 14.5 Environmental hazards:                  |  |
| Marine pollutant:                            | No   |
| 14.6 Special precautions for user            | Warning: Corrosive substances.                         |
| Hazard identification number (Kemler code):  |  |
|  | F-A,S-B  |
|  | Alkalis  |
| Stowage Category                             | A SCOOL Story "away from" a managing a alta            |
| Segregation Code                             | SG22 Stow "away from" ammonium salts                   |
|  | SG35 Stow "separated from" SGG1-acids                  |
| 14.7 Transport in bulk according to Annex II | Not applicable   |
| •  | Not applicable.  |
| Transport/Additional information:            |  |
| ADR  |  |
| Limited quantities (LQ)                      | 1L   |



Printing date 19.02.2021 Revision: 19.02.2021

Trade name: MASTER CLEANER PLUS+

|                            | (Contd. of page 7   |
|----------------------------|---|
| · Excepted quantities (EQ) | Code: E2<br>Maximum net quantity per inner packaging: 30 ml<br>Maximum net quantity per outer packaging: 500 ml |
| · Transport category       | 2   |
| · Tunnel restriction code  | E   |
| · IMDG                     |   |
| Limited quantities (LQ)    | 1L  |
| Excepted quantities (EQ)   | Code: E2  |
| Excepted quantities (EQ)   | Maximum net quantity per inner packaging: 30 ml<br>Maximum net quantity per outer packaging: 500 ml             |
| · UN "Model Regulation":   | UN 1719 CAUSTIC ALKALI LIQUID, N.O.S<br>(SODIUM HYDROXIDE), 8, II   |

## **SECTION 15: Regulatory information**

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

- · Hazard pictograms GHS05
- Signal word Danger
- · Hazard-determining components of labelling:

Sodium Hydroxide

D-Glucopyranose, oligomers, decyl octyl glycosides

Hazard statements

H314 Causes severe skin burns and eye damage.

· Precautionary statements

P260 Do not breathe mist/vapours/spray.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin

with water [or shower].

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P321 Specific treatment (see on this label).

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/

international regulations.

- · National regulations
- · Waterhazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has been carried out.

#### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### Relevant phrases

H290 May be corrosive to metals.

H302 Harmful if swallowed.

(Contd. on page 9)





Printing date 19.02.2021 Revision: 19.02.2021

Trade name: MASTER CLEANER PLUS+

(Contd. of page 8)

H311 Toxic in contact with skin.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H351 Suspected of causing cancer.

H400 Very toxic to aquatic life.

H411 Toxic to aquatic life with long lasting effects.

- · Department issuing SDS: Technical Department.
- · Contact: Mr N Wardlaw
- · Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning

the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Met. Corr.1: Corrosive to metals - Category 1

Acute Tox. 4: Acute toxicity - Category 4

Acute Tox. 3: Acute toxicity - Category 3

Skin Corr. 1A: Skin corrosion/irritation - Category 1A Skin Irrit. 2: Skin corrosion/irritation - Category 2

Eye Dam. 1: Serious eye damage/eye irritation - Category 1

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Carc. 2: Carcinogenicity - Category 2

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2