

Page 1/7

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 15.03.2021

Revision: 15.03.2021

1.1 Product identifier	
Trade name: <u>New Horizon</u>	
Sector of Use	of the substance or mixture and uses advised against
<b>1.3 Details of the supplier of</b> <b>Manufacturer/Supplier:</b> Concept Chemicals & Coating Felt Court, Windmill Lane Ind. Denton, Manchester M34 3RE Tel 00 44 (0)161 335 0213 Fax 00 44 (0)161 335 0214	<b>f the safety data sheet</b> gs Ltd. Estate
Further information obtaina Concept Chemicals & Coating Ltd. Felt Court, Windmill Lane Manchester M34 3RB England Tel 00 44 (0)161 335 0213 Fax 00 44 (0)161 335 0214 kenny@conceptchemicals.con <b>1.4 Emergency telephone nd</b> During working hours GMT 09 Tel: 0044 (0)161 335 0213 Fax: 0044 (0)161 335 0214	gs Ind.Estate Denton, d m <b>umber:</b>
SECTION 2: Hazards id	lentification
2.1 Classification of the sub	ostance or mixture
-	Regulation (EC) No 1272/2008
Aquatic Chronic 3 H412 Harr	mful to aquatic life with long lasting effects.
Hazard pictograms Void Signal word Void Hazard statements	labelled according to the CLP regulation.
H412 Harmful to aquatic life w <b>Precautionary statements</b> P273 Avoid release to the env P501 Dispose of contents/c regulations.	
Additional information:	may cause skin dryness or cracking. n request.
Results of PBT and vPvB as	ssessment
PBT: Not applicable.	(Contd. on page



Printing date 15.03.2021

Revision: 15.03.2021

(Contd. of page 1)

Page 2/7

#### Trade name: New Horizon

· vPvB: Not applicable.

#### SECTION 3: Composition/information on ingredients

· 3.2 Chemical characterisation: Mixtures

· Description: Mixture of substances listed below with nonhazardous additions.

<ul> <li>Dangerous components:</li> </ul>		
CAS: 64742-48-9 EC number: 919-857-5 Reg.nr.: 01-2119463258-33- 0002	H y d r o c a r b o n s , C 9 - C 1 1 , n - alkanes,isoalkanes,cyclics,<2%aromatics. Benzene concentration is <0.1%	10-25%
CAS: 64771-72-8 EC number: 929-018-5 Reg.nr.: 01-2119475608-26- xxxx	Hydrocarbons, C10-C13,n-alkanes,<2% aromatics	0-2.5%
CAS: 61791-26-2 NLP: 500-153-8 Reg.nr.: Polymer	Amines, tallow alkyl, ethoxylated Eye Dam. 1, H318 Aquatic Acute 1, H400; Aquatic Chronic 1, H410 Acute Tox. 4, H302; Skin Irrit. 2, H315	0-2.5%
CAS: 8000-41-7 EINECS: 232-268-1	Terpineol Flam. Liq. 3, H226 Asp. Tox. 1, H304 Aquatic Chronic 2, H411 Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317	0-2.5%

Additional information For the wording of the listed hazard phrases refer to section 16.

#### SECTION 4: First aid measures

· 4.1 Description of first aid measures

• After inhalation Supply fresh air; consult doctor in case of complaints.

- · After skin contact If skin irritation continues, consult a doctor.
- · After eye contact Rinse opened eye for several minutes under running water.
- After swallowing Rinse out mouth and then drink plenty of water.
- **4.2 Most important symptoms and effects, both acute and delayed** Gastric or intestinal disorders.

• **4.3 Indication of any immediate medical attention and special treatment needed** If swallowed or in case of vomiting, danger of entering the lungs

### **SECTION 5: Firefighting measures**

<sup>•</sup> 5.1 Extinguishing media

Suitable extinguishing agents

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

**5.2 Special hazards arising from the substance or mixture** No further relevant information available.

(Contd. on page 3)

GB



Printing date 15.03.2021

Revision: 15.03.2021

(Contd. of page 2)

Page 3/7

#### Trade name: New Horizon

- 5.3 Advice for firefighters

· Protective equipment: No special measures required.

#### SECTION 6: Accidental release measures

• **6.1 Personal precautions, protective equipment and emergency procedures** Not required. • **6.2 Environmental precautions:** Dilute with plenty of water.

Do not allow to enter sewers /surface or ground water drains.

- 6.3 Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders).
- 6.4 Reference to other sections No dangerous substances are released. See Section 7 for information on safe handling See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

#### **SECTION 7: Handling and storage**

• 7.1 Precautions for safe handling No special precautions are necessary if used correctly.

· Information about fire - and explosion protection: No special measures required.

· 7.2 Conditions for safe storage, including any incompatibilities

· Storage

· Requirements to be met by storerooms and receptacles: No special requirements.

- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: None.
- 7.3 Specific end use(s) No further relevant information available.

#### SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- Additional information about design of technical facilities: No further data; see item 7.

· Ingredients with limit values that require monitoring at the workplace:

64742-48-9 Hydrocarbons, C9-C11,n-alkanes,isoalkanes,cyclics,<2% aromatics. Benzene	•
concentration is <0.1%	

OEL Short-term value: 600 mg/m<sup>3</sup>, 100 ppm Long-term value: 300 mg/m<sup>3</sup>, 50 ppm

64771-72-8 Hydrocarbons, C10-C13,n-alkanes,<2% aromatics

OEL Short-term value: 600 mg/m<sup>3</sup>

· DNELs

64742-48-9 Hydrocarbons, C9-C11,n-alkanes,isoalkanes,cyclics,<2%aromatics. Benzene concentration is <0.1%

Oral LD50 >5,000 mg/kg (rat)

Dermal LD50 >3,000 mg/kg (rab)

· Additional information: The lists valid during the making were used as basis.

(Contd. on page 4)

GB



Printing date 15.03.2021

Revision: 15.03.2021

#### Trade name: New Horizon

(Contd. of page 3)

Page 4/7

- · 8.2 Exposure controls
- · Personal protective equipment
- General protective and hygienic measures

The usual precautionary measures are to be adhered to when handling chemicals.

- · Respiratory protection: Not required.
- Protection of hands: Rubber gloves
- · Material of gloves Natural rubber, NR
- · Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection: Goggles recommended during refilling.

#### **SECTION 9: Physical and chemical properties**

General Information	
Appearance: Form:	Viscous
Colour:	Viscous Violet
Odour:	Pleasant
Odour threshold:	Not determined.
pH-value at 20 °C:	8
Change in condition	
Melting point/freezing point:	undetermined
Initial boiling point and boiling range	: 100 °C
Flash point:	> 65 °C
Flammability (solid, gaseous)	Not applicable.
Ignition temperature:	> 230 °C
Decomposition temperature:	Not determined.
Auto-ignition temperature:	Product is not selfigniting.
Explosive properties:	Product does not present an explosion hazard.
Explosion limits:	
Lower:	0.9 Vol %
Upper:	8.0 Vol %
Vapour pressure at 20 °C:	23 hPa
Density at 20 °C:	0.97 g/cm <sup>3</sup>
Relative density	Not determined.
Vapour density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
Water:	Partly miscible
Partition coefficient: n-octanol/water:	Not determined.

GB



Printing date 15.03.2021

Revision: 15.03.2021

(Contd. of page 4)

Page 5/7

#### Trade name: New Horizon

· Viscosity: dvnamic:

kinematic at 20 °C:

Not determined. 20000 mm²/s

<sup>•</sup> 9.2 Other information

No further relevant information available.

#### SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- <sup>·</sup> 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided:
- No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known
- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known

#### **SECTION 11: Toxicological information**

- · 11.1 Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.
- · Primary irritant effect:
- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Additional toxicological information:
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

#### **SECTION 12: Ecological information**

- · 12.1 Toxicity
- Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- · Additional ecological information:
- · General notes:
- Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water. Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
- · 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

(Contd. on page 6)

GB



Printing date 15.03.2021

Revision: 15.03.2021

(Contd. of page 5)

Trade name: New Horizon

· 12.6 Other adverse effects No further relevant information available.

#### **SECTION 13: Disposal considerations**

· 13.1 Waste treatment methods

· Recommendation Do not allow product to reach ground water or water course.

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agents: Water, if necessary together with cleansing agents.

SECTION 14: Transport informat	tion
· 14.1 UN-Number · ADR, ADN, IMDG, IATA	Void
<ul> <li>14.2 UN proper shipping name</li> <li>ADR, ADN, IMDG, IATA</li> </ul>	Void
<ul> <li>14.3 Transport hazard class(es)</li> </ul>	
· ADR, ADN, IMDG, IATA · Class	Void
· 14.4 Packing group · ADR, IMDG, IATA	Void
<ul> <li>14.5 Environmental hazards:</li> <li>Marine pollutant:</li> </ul>	No
<ul> <li>14.6 Special precautions for user</li> </ul>	Not applicable.
<ul> <li>14.7 Transport in bulk according to Ani of Marpol and the IBC Code</li> </ul>	nex II Not applicable.
· UN "Model Regulation":	Void

#### **SECTION 15: Regulatory information**

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- <sup>•</sup> Labelling according to Regulation (EC) No 1272/2008
- The product is classified and labelled according to the CLP regulation.
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements
- H412 Harmful to aquatic life with long lasting effects.
- Precautionary statements
- P273 Avoid release to the environment.
- *P501 Dispose of contents/container in accordance with local/regional/national/international regulations.*
- · National regulations

• Waterhazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.



Printing date 15.03.2021

Revision: 15.03.2021

#### Trade name: New Horizon

## (Contd. of page 6) • **15.2 Chemical safety assessment:** A Chemical Safety Assessment has been carried out.

	: Other information
	is based on our present knowledge. However, this shall not constitute a guarant product features and shall not establish a legally valid contractual relationship.
Relevant phras	es
	e liquid and vapour.
H302 Harmful if	swallowed.
H304 May be fai	tal if swallowed and enters airways.
H315 Causes sk	in irritation.
H317 May cause	e an allergic skin reaction.
	erious eye damage.
	erious eye irritation.
	e drowsiness or dizziness.
H400 Very toxic	
	to aquatic life with long lasting effects.
	quatic life with long lasting effects.
Department iss	uing SDS: Technical Department.
Contact: Mr N V	
Abbreviations a	and acronvms:
ADR: Accord relatif	au transport international des marchandises dangereuses par route (European Agreement Concerr
	rriage of Dangerous Goods by Road)
	Maritime Code for Dangerous Goods Air Transport Association
	nonised System of Classification and Labelling of Chemicals
	Inventory of Existing Commercial Chemical Substances
ELINCS: European	List of Notified Chemical Substances
	tracts Service (division of the American Chemical Society)
	Effect Level (REACH) paccumulative and Toxic
,	nt and very Bioaccumulative
	able liquids – Category 3
	toxicity – Category 4
	rrosion/irritation – Category 2
	s eye damage/eye irritation – Category 1
	eye damage/eye irritation – Category 2 ensitisation – Category 1
	c target organ toxicity (single exposure) – Category 3
Asp. Tox. 1: Aspirat	ion hazard – Category 1
	zardous to the aquatic environment - acute aquatic hazard – Category 1
	lazardous to the aquatic environment - long-term aquatic hazard – Category 1
	lazardous to the aquatic environment - long-term aquatic hazard – Category 2 lazardous to the aquatic environment - long-term aquatic hazard – Category 3