

Page 1/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 01.03.2021

Revision: 01.03.2021

underta	ON 1: Identification of the substance/mixture and king	
· 1.1 Prod	ict identifier	
[.] Trade na	me: <u>SPORT Tyre Dressing</u>	
• UFI: 3SG • 1.2 Relev • Sector of SU3 Ind	Imber: P906 2-F00H-Q00X-QN5X ant identified uses of the substance or mixture and uses advi "Use Istrial uses: Uses of substances as such or in preparations at indu on of the substance / the mixture Coating	•
• <i>Manufac</i> Concept Felt Cour Denton, N Tel 00 44	s of the supplier of the safety data sheet urer/Supplier: Chemicals & Coatings Ltd. Windmill Lane Ind.Estate Ianchester M34 3RB England (0)161 335 0213 (0)161 335 0214	
Concept Ltd. Felt (Manches Tel 00 44 Fax 00 44 kenny@c 1.4 Emer During wo Tel: 0044	nformation obtainable from: Chemicals & Coatings Court, Windmill Lane Ind.Estate Denton, er M34 3RB England (0)161 335 0213 - (0)161 335 0214 conceptchemicals.com gency telephone number: orking hours GMT 09.00 - 17.00 (0)161 335 0213 - (0)161 335 0214	
SECTIO	N 2: Hazards identification	
· 2.1 Class	ification of the substance or mixture ation according to Regulation (EC) No 1272/2008	
	flame	
Flam. Liq	3 H226 Flammable liquid and vapour.	
	health hazard	
Asp. Tox.	1 H304 May be fatal if swallowed and enters airways.	
STOT SE	3 H336 May cause drowsiness or dizziness.	
2.2 Labe	elements according to Regulation (EC) No 1272/2008	



Printing date 01.03.2021 Revision: 01.03.2021 Trade name: SPORT Tyre Dressing (Contd. of page 1) · Hazard pictograms GHS02, GHS07, GHS08 Signal word Danger · Hazard-determining components of labelling: Hydrocarbons, C9-C11,n-alkanes,isoalkanes,cyclics,<2% aromatics. Benzene concentration is < 0.1% · Hazard statements H226 Flammable liquid and vapour. H336 May cause drowsiness or dizziness. H304 May be fatal if swallowed and enters airways. Precautionary statements P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor. P331 Do NOT induce vomiting. P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. P405 Store locked up. P501 Dispose of contents/container in accordance with local/regional/national/ international regulations. · Additional information: EUH066 Repeated exposure may cause skin dryness or cracking. · 2.3 Other hazards The product does not contain any organic halogen compounds (AOX), nitrates, heavy metal compounds or formaldehydes. · Results of PBT and vPvB assessment · PBT: Not applicable. · vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Chemical characterisation: Mixtures

· Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:				
CAS: 64742-48-9 EC number: 919-857-5 Reg.nr.: 01-2119463258-33-	H y d r o c a r b o n s , C 9 - C 1 1 , n - alkanes,isoalkanes,cyclics,<2%aromatics. Benzene concentration is <0.1%			
0002	 Flam. Liq. 3, H226 Asp. Tox. 1, H304 STOT SE 3, H336 			
CAS: 111-76-2	2-butoxyethanol	2.5-5%		
EINECS: 203-905-0 Reg.nr.: 01-2119475108-36- 0000	 Acute Tox. 4, H302; Acute Tox. 4, H312; Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319 			
• Additional information For the wording of the listed hazard phrases refer to section 16.				

SECTION 4: First aid measures

· 4.1 Description of first aid measures

- After inhalation Supply fresh air; consult doctor in case of complaints.
- · After skin contact Generally the product does not irritate the skin.

(Contd. on page 3)

GB

Page 2/9



Printing date 01.03.2021

Revision: 01.03.2021

Trade name: SPORT Tyre Dressing

(Contd. of page 2)

- After eye contact Rinse opened eye for several minutes under running water.
- After swallowing Rinse out mouth and then drink plenty of water.
 4.2 Most important symptoms and effects, both acute and delayed
- *4.2 Most important symptoms and ene* No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed** If swallowed or in case of vomiting, danger of entering the lungs
- SECTION 5: Firefighting measures
- · 5.1 Extinguishing media
- · Suitable extinguishing agents CO2, sand, extinguishing powder. Do not use water.
- · For safety reasons unsuitable extinguishing agents
- Water.
- Water with full jet.
- **5.2 Special hazards arising from the substance or mixture** No further relevant information available.
- · 5.3 Advice for firefighters
- **Protective equipment:** No special measures required.

SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures** Wear protective equipment. Keep unprotected persons away.
- **6.2 Environmental precautions:** Do not allow to enter sewers /surface or ground water drains.
- 6.3 Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders).
- Ensure adequate ventilation.
- Do not flush with water or aqueous cleansing agents
- 6.4 Reference to other sections
- See Section 7 for information on safe handling
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

SECTION 7: Handling and storage

- 7.1 Precautions for safe handling Risk of serious damage to eyes.
- Information about fire and explosion protection: Keep ignition sources away - Do not smoke.
- Protect against electrostatic charges.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- 7.3 Specific end use(s) No further relevant information available.

(Contd. on page 4)

GB





Page 4/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 01.03.2021

Revision: 01.03.2021

Trade name: SPORT Tyre Dressing

(Contd. of page 3)

	onal information about design of technical facilities: No further data; see item 7.
Ingred	ients with limit values that require monitoring at the workplace:
64742-	48-9 Hydrocarbons, C9-C11,n-alkanes,isoalkanes,cyclics,<2%aromatics. Benzene concentration is <0.1%
	Short-term value: 600 mg/m³, 100 ppm .ong-term value: 300 mg/m³, 50 ppm
111-76	-2 2-butoxyethanol
L	Short-term value: 246 mg/m³, 50 ppm .ong-term value: 123 mg/m³, 25 ppm Sk, BMGV
DNEL	
64742-	48-9 Hydrocarbons, C9-C11,n-alkanes,isoalkanes,cyclics,<2%aromatics. Benzene concentration is <0.1%
Oral	LD50 >5,000 mg/kg (rat)
Derma	LD50 >3,000 mg/kg (rab)
Ingred	ients with biological limit values:
111-76	-2 2-butoxyethanol
BIVIGV	240 mmol/mol creatinine Medium: urine Sampling time: post shift
	Parameter: butoxyacetic acid
	Parameter: butoxyacetic acid constant of the making were used as basis.
8.2 Ex Person Genera Keep a Wash I Do not Respin Not ne Use su Protec Materi Peneti The de	Parameter: butoxyacetic acid onal information: The lists valid during the making were used as basis. posure controls nal protective equipment al protective and hygienic measures way from foodstuffs, beverages and feed. hands before breaks and at the end of work. inhale dust / smoke / mist. atory protection: cessary if room is well-ventilated. itable respiratory protective device in case of insufficient ventilation. tion of hands: Protective gloves. al of gloves Nitrile rubber, NBR ation time of glove material termined penetration times according to EN 16523-1:2015 are not performed under practic
8.2 Ex Person Genera Keep a Wash I Do not Respin Not ne Use su Protec Materi Peneti The de conditi is reco Eye pr	Parameter: butoxyacetic acid onal information: The lists valid during the making were used as basis. posure controls nal protective equipment al protective and hygienic measures way from foodstuffs, beverages and feed. hands before breaks and at the end of work. inhale dust / smoke / mist. atory protection: cessary if room is well-ventilated. itable respiratory protective device in case of insufficient ventilation. tion of hands: Protective gloves. al of gloves Nitrile rubber, NBR

(Contd. on page 5)



Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 01.03.2021

Revision: 01.03.2021

(Contd. of page 4)

Page 5/9

Trade name: SPORT Tyre Dressing

9.1 Information on basic physical and	d chemical properties
General Information	
Appearance: Form:	Fluid
Colour:	Light brown
Odour:	Sweetish
Odour threshold:	Not determined.
pH-value:	Not determined.
Change in condition	
Melting point/freezing point:	undetermined
Initial boiling point and boiling rang	
Flash point:	44 °C
Flammability (solid, gaseous)	Not applicable.
Ignition temperature:	230.0 °C
Decomposition temperature:	Not determined.
Auto-ignition temperature:	Product is not selfigniting.
Explosive properties:	Product is not explosive. However, formation o explosive air/vapour mixtures are possible.
Explosion limits:	
Lower:	0.9 Vol %
Upper:	10.6 Vol %
Vapour pressure at 20 °C:	1.2 hPa
Density at 20 °C:	90.74 g/cm³
Relative density	Not determined.
Vapour density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
Water:	Partly miscible
Partition coefficient: n-octanol/water	: Not determined.
Viscosity:	
dynamic:	Not determined.
kinematic:	Not determined.

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

· 10.2 Chemical stability

• **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.

10.3 Possibility of hazardous reactions No dangerous reactions known

• 10.4 Conditions to avoid No further relevant information available.

GB



Printing date 01.03.2021

Revision: 01.03.2021

(Contd. of page 5)

Trade name: SPORT Tyre Dressing

• **10.5 Incompatible materials:** No further relevant information available.

· 10.6 Hazardous decomposition products: No dangerous decomposition products known

SECTION 11: Toxicological information

- 11.1 Information on toxicological effects
- Acute toxicity Based on available data, the classification criteria are not met.
- Primary irritant effect:
- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- Serious eye damage/irritation Based on available data, the classification criteria are not met.
- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Additional toxicological information:
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure
- May cause drowsiness or dizziness.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard
- May be fatal if swallowed and enters airways.

SECTION 12: Ecological information

- · 12.1 Toxicity
- Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water. Do not allow product to reach ground water or water course.

Danger to drinking water if even small quantities leak into the ground.

- 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- **12.6 Other adverse effects** No further relevant information available.

SECTION 13: Disposal considerations

- 13.1 Waste treatment methods
- Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 7)





Printing date 01.03.2021

Revision: 01.03.2021

(Contd. of page 6)

Trade name: SPORT Tyre Dressing

• Uncleaned packaging:
 • Recommendation: Disposal must be made according to official regulations.

111 IN Number	
· 14.1 UN-Number · ADR, IMDG, IATA	UN3295
	3295 HYDROCARBONS, LIQUID, N.O.S. HYDROCARBONS, LIQUID, N.O.S.
· 14.3 Transport hazard class(es)	
ADR, IMDG, IATA	
	3 Flammable liquids. 3
• 14.4 Packing group • ADR, IMDG, IATA /	11
• 14.5 Environmental hazards: • Marine pollutant:	No
Hazard identification number (Kemler code): 3 EMS Number:	Warning: Flammable liquids. 30 F-E,S-D 4
• 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code	Not applicable.
Transport/Additional information:	
Excepted quantities (ÉQ)	5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
	3 D/E
Excepted quantities (EQ)	5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml



Page 8/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 01.03.2021

Revision: 01.03.2021

(Contd. of page 7)

Trade name: SPORT Tyre Dressing

· UN "Model Regulation":

UN 3295 HYDROCARBONS, LIQUID, N.O.S., 3, III

SECTION 15: Regulatory information

mixture	ealth and environmental regulations/legislation specific for the substance or
The product is	classified and labelled according to the CLP regulation. rams GHS02, GHS07, GHS08
	nining components of labelling: , C9-C11,n-alkanes,isoalkanes,cyclics,<2%aromatics. Benzene concentration is
· Hazard statem	
	ole liquid and vapour.
	se drowsiness or dizziness.
•	atal if swallowed and enters airways.
 Precautionary 	
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P301+P310	•
P331	Do NOT induce vomiting.
P303+P361+P	353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
P405	Store locked up.
P501	Dispose of contents/container in accordance with local/regional/national/ international regulations.
	/18/EU antity (tonnes) for the application of lower-tier requirements 5.000 t

Qualifying quantity (tonnes) for the application of upper-tier requirements 50.000 t

· National regulations

· Waterhazard class: Water hazard class 2 (Self-assessment): hazardous for water.

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H226 Flammable liquid and vapour. H302 Harmful if swallowed. H304 May be fatal if swallowed and enters airways. H312 Harmful in contact with skin. H315 Causes skin irritation.

H319 Causes serious eye irritation. H332 Harmful if inhaled.

(Contd. on page 9)

GB



Printing date 01.03.2021 Revision: 01.03.2021 Trade name: SPORT Tyre Dressing (Contd. of page 8) H336 May cause drowsiness or dizziness. · Department issuing SDS: Technical Department. · Contact: Mr N Wardlaw Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) DNEL: Derived No-Effect Level (REACH) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Flam. Liq. 3: Flammable liquids - Category 3 Acute Tox. 4: Acute toxicity – Category 4 Skin Irrit. 2: Skin corrosion/irritation - Category 2 Eye Irrit. 2: Serious eye damage/eye irritation - Category 2 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 Asp. Tox. 1: Aspiration hazard – Category 1 GP

Page 9/9