

Page 1/7

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 01.02.2021

Revision: 01.02.2021

undertaking	Identification of the substance/mixture and of the company
1.1 Product ider	ntifier
Trade name: <u>TY</u>	PHOON + ALUMINIUM SAFE & CAUSTIC FREE
Sector of Use SU3 Industrial u	
Manufacturer/Se Concept Chemic Felt Court, Windi	als & Coatings Ltd. mill Lane Ind.Estate ster M34 3RB England 335 0213
Concept Chemic Ltd. Felt Court, V Manchester M34 Tel 00 44 (0)161 Fax 00 44 (0)161 cheryl@concepto 1.4 Emergency	Vindmill Lane Ind.Estate Denton, 3RB England 335 0213 335 0214 chemicals.com telephone number: ours GMT 09.00 - 17.00 335 0213
	000 02 14
. ,	Hazards identification
SECTION 2: I	
SECTION 2: I	Hazards identification n of the substance or mixture
SECTION 2: 1 2.1 Classificatio Classification a	Hazards identification n of the substance or mixture
SECTION 2: I	Hazards identification In of the substance or mixture ccording to Regulation (EC) No 1272/2008
SECTION 2: I 2.1 Classification Classification at Classification at Skin Irrit. 2 H318 Eye Irrit. 2 H318 2.2 Label eleme Labelling accord The product is cli Hazard pictogra Signal word Wa Hazard stateme H315 Causes ski H319 Causes se Precautionary s P280 P302+P352	Hazards identification In of the substance or mixture ccording to Regulation (EC) No 1272/2008 5 Causes skin irritation. 6 Causes serious eye irritation. 7 Causes serious eye irritation. 7 Market Structure 8 Causes serious eye irritation. 9 Causes serious eye irritation. 9 Market Structure 9 Causes Structure 9 Causes Serious eye irritation. 10 Market Structure 10 Market Structure 10 Market Structure 10 In Irritation. 10 In Irritation.



Printing date 01.02.2021

Revision: 01.02.2021

Trade name: TYPHOON + ALUMINIUM SAFE & CAUSTIC FREE

(Contd. of page 1)

Page 2/7

P332+P313 If skin irritation occurs: Get medical advice/attention.

P362+P364 Take off contaminated clothing and wash it before reuse.

P337+P313 If eye irritation persists: Get medical advice/attention.

2.3 Other hazards

· Results of PBT and vPvB assessment

• **PBT:** Not applicable.

• **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Chemical characterisation: Mixtures

• **Description:** Mixture of substances listed below with nonhazardous additions.

Dangerous components:		
CAS: 29329-71-3 Reg.nr.: 01-2119510382-52- 0000	Phosphonic acid,(1-hydroxyethylidene) bis-, sodium salt Acute Tox. 4, H302; Eye Irrit. 2, H319	5-10%
CAS: 51981-21-6 EINECS: 257-573-7 Reg.nr.: 01-2119493601-38- xxxx	Tetrasodium N,N-bis(carboxylatomethyl)-L-glutamate	2.5-5%
CAS: 68515-73-1 Reg.nr.: 01-2119488530-36- 0000	D-Glucopyranose,oligomers,decyl octyl glycosides Skin Corr. 1A, H314; Eye Dam. 1, H318	0-2.5%
 Ingredients according to determine regulation 648/2004/EC 	ergents	<u>I</u>
non-ionic surfactants, amphote	ric surfactants, cationic surfactants	<5%

· Additional information For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- After inhalation Supply fresh air; consult doctor in case of complaints.

• After skin contact Generally the product does not irritate the skin.

- · After eye contact Rinse opened eye for several minutes under running water.
- · After swallowing If symptoms persist consult doctor.
- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- Suitable extinguishing agents Use fire extinguishing methods suitable to surrounding conditions.
- · 5.2 Special hazards arising from the substance or mixture
- No further relevant information available.

(Contd. on page 3)

GB -



Printing date 01.02.2021

Revision: 01.02.2021

(Contd. of page 2)

Trade name: TYPHOON + ALUMINIUM SAFE & CAUSTIC FREE

- 5.3 Advice for firefighters

· Protective equipment: No special measures required.

SECTION 6: Accidental release measures

- · 6.1 Personal precautions, protective equipment and emergency procedures Not required.
- **6.2 Environmental precautions:** Dilute with plenty of water.
- Do not allow to enter sewers /surface or ground water drains.
- 6.3 Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders).
- 6.4 Reference to other sections
- See Section 7 for information on safe handling
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

SECTION 7: Handling and storage

- **7.1 Precautions for safe handling** No special precautions are necessary if used correctly. • **Information about fire - and explosion protection:** No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.

· Further information about storage conditions: None.

• 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- Additional information about design of technical facilities: No further data; see item 7.
- Ingredients with limit values that require monitoring at the workplace: The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- Personal protective equipment
- General protective and hygienic measures Wash hands before breaks and at the end of work.
- · Respiratory protection: Not required.
- Protection of hands: Rubber gloves
- · Material of gloves Nitrile rubber, NBR
- **Penetration time of glove material** The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- Eye protection: Safety glasses

(Contd. on page 4)

GR



Printing date 01.02.2021

Revision: 01.02.2021

(Contd. of page 3)

Trade name: TYPHOON + ALUMINIUM SAFE & CAUSTIC FREE

Meting point/freezing point:undeterminedInitial boiling point and boiling range:100 °CFlash point:Not applicableFlammability (solid, gaseous)Not applicable.Decomposition temperature:Not determined.Auto-ignition temperature:Product is not selfigniting.Explosive properties:Product does not present an explosion hazard.Explosion limits:Lower:Lower:Not determined.Upper:Not determined.Vapour pressure at 20 °C:23 hPaDensity at 20 °C:1.085 g/cm³Relative densityNot determined.Vapour densityNot determined.Solubility in / Miscibility with Water:Fully misciblePartition coefficient: n-octanol/water:Not determined.Viscosity: dynamic: kinematic:Not determined.Not determined.Not determined.Viscosity: dynamic: kinematic:Not determined.	SECTION 9: Physical and chemi	ical properties
Appearance:LiquidForm:LiquidColour:TransparentOdour:CharacteristicOdour threshold:Not determined.pH-value at 20 °C:10Change in conditionundeterminedMelting point/freezing point:undeterminedInitial boiling point and boiling range:100 °CFlash point:Not applicableFlammability (solid, gaseous)Not applicable.Decomposition temperature:Not determined.Auto-ignition temperature:Product is not selfigniting.Explosive properties:Product does not present an explosion hazard.Explosion limits:Not determined.Lower:Not determined.Vapour pressure at 20 °C:23 hPaDensity at 20 °C:1.085 g/cm³Relative densityNot determined.Vapour densityNot determined.Solubility in / Miscibility withWater:Water:Fully misciblePartition coefficient: n-octanol/water:Not determined.Viscosity:Not determined.dynamic:Not determined.Kinematic:Not determined.		chemical properties
Form:LiquidColour:TransparentOdour:CharacteristicOdour threshold:Not determined.pH-value at 20 °C:10Change in conditionundeterminedMeiting point/freezing point:undeterminedInitial boiling point and boiling range:10 °CFlash point:Not applicableFlammability (solid, gaseous)Not applicable.Decomposition temperature:Not determined.Auto-ignition temperature:Product is not selfigniting.Explosive properties:Product does not present an explosion hazard.Explosion limits:Lower:Upper:Not determined.Vapour pressure at 20 °C:23 hPaDensity at 20 °C:1.085 g/cm³Relative densityNot determined.Vapour densityNot determined.Solubility in / Miscibility with Water:Fully misciblePartition coefficient: n-octanol/water:Not determined.Viscosity:Not determined.Viscosity: <th></th> <th></th>		
Colour:Transparent CharacteristicOdour:CharacteristicOdour threshold:Not determined.pH-value at 20 °C:10Change in condition Melting point/freezing point:undetermined undetermined Initial boiling point and boiling range: 100 °CFlash point:Not applicableFlash point:Not applicableExample in temperature:Not applicable.Decomposition temperature:Product is not selfigniting.Explosive properties:Product does not present an explosion hazard.Explosion limits: Lower:Not determined.Vapour pressure at 20 °C:23 hPaDensity at 20 °C:1.085 g/cm³ Relative densitySolubility in / Miscibility with Water:Fully misciblePartition coefficient: n-octanol/water:Not determined.Viscosity: dynamic:Not determined.Not determined.Not determined.Viscosity: dynamic:Not determined.Not determined.Not determined.Not determined.Not determined.Solubility in / Miscibility with Water:Fully misciblePartition coefficient: n-octanol/water:Not determined.Viscosity: dynamic:Not determined.Not determined.Not determined.Not determined.Not determined.Viscosity: dynamic:Not determined.Not determined.Not determined.Not determined.Not determined.		l invited
Odour:CharacteristicOdour threshold:Not determined.pH-value at 20 °C:10Change in conditionundeterminedMelting point/freezing point:undeterminedInitial boiling point and boiling range:100 °CFlash point:Not applicableFlammability (solid, gaseous)Not applicable.Decomposition temperature:Not determined.Auto-ignition temperature:Product is not selfigniting.Explosive properties:Product does not present an explosion hazard.Explosion limits:Not determined.Upper:Not determined.Vapour pressure at 20 °C:23 hPaDensity at 20 °C:1.085 g/cm³Relative densityNot determined.Vapour densityNot determined.Solubility in / Miscibility with Water:Fully misciblePartition coefficient: n-octanol/water:Not determined.Viscosity: dynamic:Not determined.Not determined.Not determined.	-	
Odour threshold:Not determined.pH-value at 20 °C:10Change in condition Melting point/freezing point:undetermined Initial boiling point and boiling range:Melting point/freezing point:undetermined 100 °CFlash point:Not applicableFlammability (solid, gaseous)Not applicable.Decomposition temperature:Not determined.Auto-ignition temperature:Product is not selfigniting.Explosive properties:Product does not present an explosion hazard.Explosion limits: Lower:Not determined.Vapour pressure at 20 °C:23 hPaDensity at 20 °C:1.085 g/cm³ Relative densityVapour densityNot determined.Solubility in / Miscibility with Water:Fully misciblePartition coefficient: n-octanol/water:Not determined.Viscosity: dynamic: kinematic:Not determined.Not determined.Not determined.Not determined.Not determined.Not determined.Not determined.Solubility in / Miscibility with Kinematic:Not determined.Not determined.Not determined.Not determined.Not determined.Not determined.Not determined.Solubility in / Miscibility with Kinematic:Not determined.Not determined.Not determined.Not determined.Not determined.		
pH-value at 20 °C: 10 Change in condition undetermined Initial boiling point and boiling range: 100 °C Flash point: Not applicable Flash point: Not applicable Flammability (solid, gaseous) Not applicable. Decomposition temperature: Not determined. Auto-ignition temperature: Product is not selfigniting. Explosive properties: Product does not present an explosion hazard. Explosion limits: Lower: Lower: Not determined. Vapour pressure at 20 °C: 23 hPa Density at 20 °C: 1.085 g/cm³ Relative density Not determined. Vapour density Not determined. Solubility in / Miscibility with Water: Partition coefficient: n-octanol/water: Not determined. Viscosity: Mot determined. Viscosity: Not determined. Mater: Fully miscible Partition coefficient: n-octanol/water: Not determined. Viscosity: Mot determined. Mot determined. Not determined.		
Change in condition undetermined Melting point/freezing point: undetermined Initial boiling point and boiling range: 100 °C Flash point: Not applicable Flammability (solid, gaseous) Not applicable. Decomposition temperature: Not determined. Auto-ignition temperature: Product is not selfigniting. Explosive properties: Product does not present an explosion hazard. Explosion limits: Lower: Lower: Not determined. Upper: Not determined. Vapour pressure at 20 °C: 23 hPa Density at 20 °C: 1.085 g/cm³ Relative density Not determined. Vapour density Not determined. Solubility in / Miscibility with Water: Water: Fully miscible Partition coefficient: n-octanol/water: Not determined. Viscosity: Not determined. Myaamic: Not determined. Not determined. Not determined. Solubility in / Miscibility with Not determined. Water: Fully miscible Partition coefficient: n-octanol/water: <		
Initial boiling point and boiling range: 100 °CFlash point:Not applicableFlammability (solid, gaseous)Not applicable.Decomposition temperature:Not determined.Auto-ignition temperature:Product is not selfigniting.Explosive properties:Product does not present an explosion hazard.Explosion limits:Not determined.Lower:Not determined.Upper:Not determined.Vapour pressure at 20 °C:23 hPaDensity at 20 °C:1.085 g/cm³Relative densityNot determined.Vapour densityNot determined.Solubility in / Miscibility with Water:Fully misciblePartition coefficient: n-octanol/water:Not determined.Viscosity: dynamic: kinematic:Not determined.Not determined.Not determined.Viscosity: dynamic: kinematic:Not determined.	pH-value at 20 °C:	10
Initial boiling point and boiling range: 100 °CFlash point:Not applicableFlammability (solid, gaseous)Not applicable.Decomposition temperature:Not determined.Auto-ignition temperature:Product is not selfigniting.Explosive properties:Product does not present an explosion hazard.Explosion limits:Not determined.Lower:Not determined.Upper:Not determined.Vapour pressure at 20 °C:23 hPaDensity at 20 °C:1.085 g/cm³Relative densityNot determined.Vapour densityNot determined.Solubility in / Miscibility with Water:Fully misciblePartition coefficient: n-octanol/water:Not determined.Viscosity: dynamic: kinematic:Not determined.Not determined.Not determined.Viscosity: dynamic: kinematic:Not determined.		
Flash point:Not applicableFlammability (solid, gaseous)Not applicable.Decomposition temperature:Not determined.Auto-ignition temperature:Product is not selfigniting.Explosive properties:Product does not present an explosion hazard.Explosion limits:Vateermined.Lower:Not determined.Upper:Not determined.Vapour pressure at 20 °C:23 hPaDensity at 20 °C:1.085 g/cm³Relative densityNot determined.Vapour densityNot determined.Solubility in / Miscibility with Water:Fully misciblePartition coefficient: n-octanol/water:Not determined.Viscosity: dynamic: kinematic:Not determined.Not determined.Not determined.Not determined.Not determined.Not determined.Not determined.Solubility in / Miscibility with Water:Not determined.Not determined.Not determined.Not determined.Not determined.		
Flammability (solid, gaseous)Not applicable.Decomposition temperature:Not determined.Auto-ignition temperature:Product is not selfigniting.Explosive properties:Product does not present an explosion hazard.Explosion limits:Vot determined.Lower:Not determined.Upper:Not determined.Vapour pressure at 20 °C:23 hPaDensity at 20 °C:1.085 g/cm³Relative densityNot determined.Vapour densityNot determined.Solubility in / Miscibility with Water:Fully misciblePartition coefficient: n-octanol/water:Not determined.Viscosity: dynamic:Not determined.Not determined.Not determined.Not determined.Not determined.Not determined.Not determined.Solubility in / Miscibility with Water:Fully misciblePartition coefficient: n-octanol/water:Not determined.Not determined.Not determined.Viscosity: dynamic:Not determined.Not determined.Not determined.	Initial boiling point and boiling range	e: 100 °C
Decomposition temperature:Not determined.Auto-ignition temperature:Product is not selfigniting.Explosive properties:Product does not present an explosion hazard.Explosion limits:Not determined.Lower:Not determined.Upper:Not determined.Vapour pressure at 20 °C:23 hPaDensity at 20 °C:1.085 g/cm³Relative densityNot determined.Vapour densityNot determined.Solubility in / Miscibility with Water:Fully misciblePartition coefficient: n-octanol/water:Not determined.Viscosity: dynamic:Not determined.Not determined.Not determined.	Flash point:	Not applicable
Auto-ignition temperature:Product is not selfigniting.Explosive properties:Product does not present an explosion hazard.Explosion limits:Not determined.Lower:Not determined.Upper:Not determined.Vapour pressure at 20 °C:23 hPaDensity at 20 °C:1.085 g/cm³Relative densityNot determined.Vapour densityNot determined.Solubility in / Miscibility with Water:Fully misciblePartition coefficient: n-octanol/water:Not determined.Viscosity: dynamic:Not determined.Not determined.Not determined.Not determined.Not determined.Not determined.Not determined.Solubility in / Miscibility with Water:Fully misciblePartition coefficient: n-octanol/water:Not determined.Not determined.Not determined.Viscosity: dynamic:Not determined.Not determined.Not determined.	Flammability (solid, gaseous)	Not applicable.
Explosive properties:Product does not present an explosion hazard.Explosion limits:Not determined.Lower:Not determined.Upper:Not determined.Vapour pressure at 20 °C:23 hPaDensity at 20 °C:1.085 g/cm³Relative densityNot determined.Vapour densityNot determined.Solubility in / Miscibility with Water:Fully misciblePartition coefficient: n-octanol/water:Not determined.Viscosity: dynamic: kinematic:Not determined.Not determined.Not determined.	Decomposition temperature:	Not determined.
Explosion limits:Lower:Not determined.Upper:Not determined.Vapour pressure at 20 °C:23 hPaDensity at 20 °C:1.085 g/cm³Relative densityNot determined.Vapour densityNot determined.Evaporation rateNot determined.Solubility in / Miscibility with Water:Fully misciblePartition coefficient: n-octanol/water:Not determined.Viscosity:Not determined.dynamic:Not determined.Not determined.Not determined.	Auto-ignition temperature:	Product is not selfigniting.
Lower: Upper:Not determined.Vapour pressure at 20 °C:23 hPaDensity at 20 °C:1.085 g/cm³Relative densityNot determined.Vapour densityNot determined.Evaporation rateNot determined.Solubility in / Miscibility with Water:Fully misciblePartition coefficient: n-octanol/water:Not determined.Viscosity: dynamic: kinematic:Not determined.Not determined.Not determined.	Explosive properties:	Product does not present an explosion hazard.
Upper:Not determined.Vapour pressure at 20 °C:23 hPaDensity at 20 °C:1.085 g/cm³Relative densityNot determined.Vapour densityNot determined.Vapour densityNot determined.Solubility in / Miscibility with Water:Fully misciblePartition coefficient: n-octanol/water:Not determined.Viscosity: dynamic: kinematic:Not determined.	Explosion limits:	
Vapour pressure at 20 °C:23 hPaDensity at 20 °C:1.085 g/cm³Relative densityNot determined.Vapour densityNot determined.Evaporation rateNot determined.Solubility in / Miscibility with Water:Fully misciblePartition coefficient: n-octanol/water:Not determined.Viscosity: dynamic: kinematic:Not determined.	Lower:	Not determined.
Density at 20 °C:1.085 g/cm³Relative densityNot determined.Vapour densityNot determined.Evaporation rateNot determined.Solubility in / Miscibility with Water:Fully misciblePartition coefficient: n-octanol/water:Not determined.Viscosity: dynamic: kinematic:Not determined.	Upper:	Not determined.
Relative density Not determined. Vapour density Not determined. Evaporation rate Not determined. Solubility in / Miscibility with Fully miscible Water: Fully miscible Partition coefficient: n-octanol/water: Not determined. Viscosity: Not determined. dynamic: Not determined. kinematic: Not determined.	Vapour pressure at 20 °C:	23 hPa
Relative density Not determined. Vapour density Not determined. Evaporation rate Not determined. Solubility in / Miscibility with Fully miscible Water: Fully miscible Partition coefficient: n-octanol/water: Not determined. Viscosity: Not determined. dynamic: Not determined. kinematic: Not determined.	Density at 20 °C:	1 085 g/cm ³
Vapour density Not determined. Evaporation rate Not determined. Solubility in / Miscibility with Fully miscible Water: Fully miscible Partition coefficient: n-octanol/water: Not determined. Viscosity: Not determined. dynamic: Not determined. kinematic: Not determined.		
Evaporation rate Not determined. Solubility in / Miscibility with Water: Fully miscible Partition coefficient: n-octanol/water: Not determined. Viscosity: dynamic: kinematic: Not determined.		
Water: Fully miscible Partition coefficient: n-octanol/water: Not determined. Viscosity: Not determined. dynamic: Not determined. kinematic: Not determined.		Not determined.
Water: Fully miscible Partition coefficient: n-octanol/water: Not determined. Viscosity: Not determined. dynamic: Not determined. kinematic: Not determined.	Solubility in / Miscibility with	
Partition coefficient: n-octanol/water: Not determined. Viscosity:		Fully miscible
dynamic:Not determined.kinematic:Not determined.		•
dynamic:Not determined.kinematic:Not determined.	Viscosity	
kinematic: Not determined.		Not determined

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

- 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- 10.3 Possibility of hazardous reactions No dangerous reactions known
- · 10.4 Conditions to avoid No further relevant information available.
- \cdot 10.5 Incompatible materials: No further relevant information available.

(Contd. on page 5)

Page 4/7

GB



Printing date 01.02.2021

Revision: 01.02.2021

Trade name: TYPHOON + ALUMINIUM SAFE & CAUSTIC FREE

(Contd. of page 4) • **10.6 Hazardous decomposition products:** No dangerous decomposition products known

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- Acute toxicity Based on available data, the classification criteria are not met.
- Primary irritant effect:
- · Skin corrosion/irritation
- Causes skin irritation.
- · Serious eye damage/irritation
- Causes serious eye irritation.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Additional toxicological information:
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water. Do not allow product to reach ground water or water course.

Danger to drinking water if even small quantities leak into the ground.

- · 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- 13.1 Waste treatment methods
- **Recommendation** Do not allow product to reach ground water or water course.
- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agents: Water, if necessary together with cleansing agents.

(Contd. on page 6)

CR

Page 5/7



Printing date 01.02.2021

Revision: 01.02.2021

Trade name: TYPHOON + ALUMINIUM SAFE & CAUSTIC FREE

(Contd. of page 5)

Page 6/7

14.1 UN-Number		
ADR, ADN, IMDG, IATA	Void	
14.2 UN proper shipping name		
ADR, ADN, IMDG, IATA	Void	
14.3 Transport hazard class(es)		
ADR, ADN, IMDG, IATA		
Class	Void	
14.4 Packing group		
ADR, IMDG, IATA	Void	
14.5 Environmental hazards:		
Marine pollutant:	No	
14.6 Special precautions for user	Not applicable.	
14.7 Transport in bulk according to An	nex ll	
of Marpol and the IBC Code	Not applicable.	
UN "Model Regulation":	Void	

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Labelling according to Regulation (EC) No 1272/2008
- The product is classified and labelled according to the CLP regulation.
- Hazard pictograms GHS07
- · Signal word Warning
- · Hazard statements
- H315 Causes skin irritation.
- H319 Causes serious eye irritation.
- Precautionary statements

i i couutionary ota	
P280	Wear protective gloves / eye protection / face protection.
P302+P352	IF ON SKIN: Wash with plenty of water.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact
	lenses, if present and easy to do. Continue rinsing.
P332+P313	If skin irritation occurs: Get medical advice/attention.
P362+P364	Take off contaminated clothing and wash it before reuse.
P337+P313	If eye irritation persists: Get medical advice/attention.

· National regulations

· Waterhazard class: Water hazard class 2 (Self-assessment): hazardous for water.

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

(Contd. on page 7)

GB



Printing date 01.02.2021

Revision: 01.02.2021

	(Contd. of page
· Relevant phrases	
H290 May be corrosive to metals.	
H302 Harmful if swallowed.	
H314 Causes severe skin burns and eye damage.	
H318 Causes serious eye damage.	
H319 Causes serious eye irritation.	
no ro Causes senous eye initation.	
 Department issuing SDS: Technical Department. 	
Contact: Mr N Wardlaw	
· Abbreviations and acronyms:	
ADR: Accord relatif au transport international des marchandises dangeret	uses par route (European Agreement Concern
the International Carriage of Dangerous Goods by Road)	
IMDG: International Maritime Code for Dangerous Goods	
IATA: International Air Transport Association	
GHS: Globally Harmonised System of Classification and Labelling of Chen EINECS: European Inventory of Existing Commercial Chemical Substance	
ELINCS: European List of Notified Chemical Substances	5
CAS: Chemical Abstracts Service (division of the American Chemical Soci	etv)
PBT: Persistent, Bioaccumulative and Toxic	
vPvB: very Persistent and very Bioaccumulative	
Met. Corr.1: Corrosive to metals – Category 1	
Acute Tox. 4: Acute toxicity – Category 4	
Skin Corr. 1A: Skin corrosion/irritation – Category 1A	
Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eve Dam. 1: Serious eve damage/eve irritation – Category 1	
Eye Jam. 1. Serious eye damage/eye irritation – Category 1 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2	

Page 7/7