

Page 1/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 23.03.2021

Revision: 23.03.2021

	ıct identifier
	me: VITESSE - EXHIBITION POLISH
UFI: VX8 1.2 Relevent Sector of SU3 Inc	<i>Imber:</i> 465 1-70MF-N00Q-036G ant identified uses of the substance or mixture and uses advised against ^f Use ustrial uses: Uses of substances as such or in preparations at industrial sites on of the substance / the mixture Car Polish
Manufac Concept Felt Cour Denton, I Tel 00 44	Is of the supplier of the safety data sheet turer/Supplier: Chemicals & Coatings Ltd. t, Windmill Lane Ind.Estate Manchester M34 3RB England (0)161 335 0213 t (0)161 335 0214
Concept Ltd. Felt Manches Tel 00 44 Fax 00 4 kenny@o 1.4 Eme During w Tel: 0044	nformation obtainable from: Chemicals & Coatings Court, Windmill Lane Ind.Estate Denton, er M34 3RB England (0)161 335 0213 4 (0)161 335 0214 onceptchemicals.com gency telephone number: orking hours GMT 09.00 - 17.00 (0)161 335 0213 4 (0)161 335 0214
SECTIO	N 2: Hazards identification
	ification of the substance or mixture ation according to Regulation (EC) No 1272/2008
	flame
Flam. Liq	3 H226 Flammable liquid and vapour.
STOT SE	3 H336 May cause drowsiness or dizziness.
	elements according to Regulation (EC) No 1272/2008

(Contd. on page 2)



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 23.03.2021

Revision: 23.03.2021

Page 2/8

(Contd. of page 1) · Hazard statements H226 Flammable liquid and vapour. H336 May cause drowsiness or dizziness. Precautionary statements P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P241 Use explosion-proof [electrical/ventilating/lighting] equipment. P261 Avoid breathing dust/fume/gas/mist/vapours/spray. P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. P405 Store locked up. P501 Dispose of contents/container in accordance with local/regional/national/ international regulations. · Additional information: EUH066 Repeated exposure may cause skin dryness or cracking. · 2.3 Other hazards

· Results of PBT and vPvB assessment

Trade name: VITESSE - EXHIBITION POLISH

· PBT: Not applicable.

· vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

3.2 Chemical characterisation: Mixtures

· Description: Mixture of substances listed below with nonhazardous additions.

CAS: 64742-48-9 EC number: 919-857-5	Hydrocarbons, C9-C11,n-	10-25%
Reg.nr.: 01-2119463258-33- 0002	alkanes,isoalkanes,cyclics,<2%aromatics. Benzene concentration is <0.1% Flam. Liq. 3, H226 Asp. Tox. 1, H304 STOT SE 3, H336	
CAS: 541-02-6 EINECS: 208-764-9 Reg.nr.: 01-2119511367-43- 0000	Decamethylcyclopentasiloxane substance with a Community workplace exposure limit	0-2.5%
CAS: 64771-72-8 EC number: 929-018-5 Reg.nr.: 01-2119475608-26- xxxx	Hydrocarbons, C10-C13,n-alkanes,<2% aromatics	0-2.5%

· Additional information For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

· After inhalation Supply fresh air; consult doctor in case of complaints.

- · After skin contact Generally the product does not irritate the skin.
- · After eye contact Rinse opened eye for several minutes under running water.

GB



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 23.03.2021

Revision: 23.03.2021

(Contd. of page 2)

Page 3/8

Trade name: VITESSE - EXHIBITION POLISH

· After swallowing Rinse out mouth and then drink plenty of water.

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed

If swallowed or in case of vomiting, danger of entering the lungs

SECTION 5: Firefighting measures

· 5.1 Extinguishing media

- · Suitable extinguishing agents
- CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- 5.2 Special hazards arising from the substance or mixture
- No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.
- 6.2 Environmental precautions: Dilute with plenty of water.
 Do not allow to enter sewers /surface or ground water drains.

• **6.3 Methods and material for containment and cleaning up:** Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders). Ensure adequate ventilation.

• 6.4 Reference to other sections See Section 7 for information on safe handling See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling Risk of serious damage to eyes.

• Information about fire - and explosion protection: Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

· 7.2 Conditions for safe storage, including any incompatibilities

· Storage

- · Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

• Additional information about design of technical facilities: No further data; see item 7.

(Contd. on page 4)



Page 4/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 23.03.2021

Revision: 23.03.2021

Trade name: VITESSE - EXHIBITION POLISH

(Contd. of page 3)

64742-48-9 Hydrocarbons, C9-C11,n-alkanes,isoalkanes,cyclics,<2%aromatics. Benzene concentration is <0.1%

OEL Short-term value: 600 mg/m³, 100 ppm Long-term value: 300 mg/m³, 50 ppm

541-02-6 Decamethylcyclopentasiloxane

TWA Long-term value: 10 ppm

64771-72-8 Hydrocarbons, C10-C13,n-alkanes,<2% aromatics

OEL Short-term value: 600 mg/m³

· DNELs

64742-48-9 Hydrocarbons, C9-C11,n-alkanes,isoalkanes,cyclics,<2%aromatics. Benzene concentration is <0.1%

Oral LD50 >5,000 mg/kg (rat)

Dermal LD50 >3,000 mg/kg (rab)

• Additional information: The lists valid during the making were used as basis.

- [•] 8.2 Exposure controls
- · Personal protective equipment
- General protective and hygienic measures
 Wash hands before breaks and at the end of work.
 Do not inhale dust / smoke / mist.
- · Respiratory protection: Not necessary if room is well-ventilated.
- · Protection of hands: Rubber gloves
- · Material of gloves Natural rubber, NR
- Penetration time of glove material

The determined penetration times according to EN 16523-1:2015 are not performed under practical conditions. Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is recommended.

Eye protection: Safety glasses

Goggles recommended during refilling.

9.1 Information on basic physical General Information	and chemical properties	
Appearance:		
Form:	Viscous	
Colour:	Violet	
Odour:	Pleasant	
Odour threshold:	Not determined.	
pH-value at 20 °C:	9	
Change in condition		
Melting point/freezing point:	undetermined	
Initial boiling point and boiling	range: 100 °C	
Flash point:	40 °C	



Page 5/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 23.03.2021

Revision: 23.03.2021

Trade name: VITESSE - EXHIBITION POLISH

	(Contd. of page 4)
· Flammability (solid, gaseous)	Not applicable.
· Ignition temperature:	> 230 °C
· Decomposition temperature:	Not determined.
· Auto-ignition temperature:	Product is not selfigniting.
· Explosive properties:	Product is not explosive. However, formation of explosive air/vapour mixtures are possible.
· Explosion limits:	
Lower:	0.9 Vol %
Upper:	8.0 Vol %
· Vapour pressure at 20 °C:	23 hPa
· Density at 20 °C:	0.98 g/cm³
· Relative density	Not determined.
[.] Vapour density	Not determined.
· Evaporation rate	Not determined.
· Solubility in / Miscibility with	
Water:	Partly miscible
· Partition coefficient: n-octanol/water:	Not determined.
· Viscosity:	
dynamic:	Not determined.
kinematic at 20 °C:	30 s (ISO 6 mm)
· 9.2 Other information	No further relevant information available.

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:
- No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known
- 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- Acute toxicity Based on available data, the classification criteria are not met.
- Primary irritant effect:
- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- Additional toxicological information:
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- Germ cell mutagenicity Based on available data, the classification criteria are not met.

(Contd. on page 6)



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 23.03.2021

Revision: 23.03.2021

Trade name: VITESSE - EXHIBITION POLISH

(Contd. of page 5)

- Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure
- May cause drowsiness or dizziness.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

· 12.1 Toxicity

- · Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water. Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- **vPvB:** Not applicable.
- 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agents: Water, if necessary together with cleansing agents.

14.1 UN-Number ADR, IMDG, IATA	UN1993
14.2 UN proper shipping name	
ADR	1993 FLAMMABLE LIQUID, N.O.S
	(Hydrocarbons, C9-C11,n
	alkanes,isoalkanes,cyclics,<2%aromatics
	Benzene concentration is <0.1%)
IMDG, IATA	FLAMMABLE LIQUID, N.O.S. (Hydrocarbons, C9
-,	C11,n-alkanes,isoalkanes,cyclics,<2%aromatics
	Benzene concentration is <0.1%)

Page 6/8



Page 7/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 23.03.2021

Revision: 23.03.2021

Trade name: VITESSE - EXHIBITION POLISH (Contd. of page 6) · 14.3 Transport hazard class(es) · ADR, IMDG, IATA 3 Flammable liquids. Class · Label 3 · 14.4 Packing group · ADR, IMDG, IATA III· 14.5 Environmental hazards: · Marine pollutant: No · 14.6 Special precautions for user Warning: Flammable liquids. Hazard identification number (Kemler code): 30 · EMS Number: F-E,S-E Stowage Category Α · 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable. Transport/Additional information: · ADR · Limited quantities (LQ) 5L Excepted quantities (EQ) Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 тI · Transport category 3 · Tunnel restriction code D/E ·IMDG · Limited quantities (LQ) 5L • Excepted quantities (EQ) Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 тI • UN "Model Regulation": UN 1993 FLAMMABLE LIQUID. N.O.S. (HYDROCARBONS. C9-C11.N-ALKANES, ISOALKANES, CYCLICS, <2%AROMAT ICS. BENZENE CONCENTRATION IS <0.1%), 3, Ш

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Labelling according to Regulation (EC) No 1272/2008
- The product is classified and labelled according to the CLP regulation.
- · Hazard pictograms GHS02, GHS07

(Contd. on page 8)

GF



Page 8/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 23.03.2021

Trade name: VITESSE - EXHIBITION POLISH

Revision: 23.03.2021

(Contd. of page 7) · Signal word Warning · Hazard-determining components of labelling: Hydrocarbons, C9-C11,n-alkanes,isoalkanes,cyclics,<2% aromatics. Benzene concentration is < 0.1% · Hazard statements H226 Flammable liquid and vapour. H336 May cause drowsiness or dizziness. Precautionary statements P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P241 Use explosion-proof [electrical/ventilating/lighting] equipment. Avoid breathing dust/fume/gas/mist/vapours/spray. P261 P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. P405 Store locked up. P501 Dispose of contents/container in accordance with local/regional/national/ international regulations. · Directive 2012/18/EU

Qualifying quantity (tonnes) for the application of lower-tier requirements 5,000 t

· Qualifying quantity (tonnes) for the application of upper-tier requirements 50,000 t

· National regulations

· Waterhazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.

• **15.2 Chemical safety assessment:** A Chemical Safety Assessment has been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases H226 Flammable liquid and vapour. H304 May be fatal if swallowed and enters airways. H336 May cause drowsiness or dizziness. · Department issuing SDS: Technical Department. · Contact: Mr N Wardlaw · Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) DNEL: Derived No-Effect Level (REACH) PBT: Persistent, Bioaccumulative and Toxic SVHC: Substances of Very High Concern vPvB: very Persistent and very Bioaccumulative Flam. Liq. 3: Flammable liquids - Category 3 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 Asp. Tox. 1: Aspiration hazard – Category 1 GB